



Addendum No. 3 Bishop International Airport Authority Signage and Wayfinding

Project name:	Signage and Wayfinding	Client:	Bishop International Airport Authority
Project location:	Flint, MI	Client representative:	Christopher Yeates
Project number:	2715900-230638.01	Mead & Hunt, Inc. manager:	John Paul Minear
Date:	November 21, 2025	Mead & Hunt Inc. phone:	608-443-0459

TO ALL BIDDERS: You are requested to make all changes and/or additions contained in this Addendum to the Bidding Documents. Failure to acknowledge this Addendum in Proposal may result in rejection of bid.

I. CLARIFICATIONS

Project Manual:

- a. Section 000115 List of Drawings, Re-Issued
- b. Appendix A – FNT Bid Analysis

II. QUESTIONS:

- a. Q1. Are we expected to repair the structure that the large hanging signs are attached to, above the escalators when we remove them?
A1. Yes. Patch, repair and paint.
- b. Q2. Are we expected to paint the spandrels that the Overhead directionals are mounted to?
A2. Yes.
- c. Q3. Regarding the intent of the design, are you okay with us painting the exposed "brushed aluminum" portions of the signs with a brushed aluminum paint? When manufacturing brushed aluminum, the grain will not look very good around the rounded corners of the signs. And if we do it to a few, you are going to want consistency, so we would incorporate that same process with all of the signs calling out "brushed aluminum".
A3. No. Painting the brushed aluminum is not acceptable.
- d. Q4. Are there any restrictions on the hours our installers can work? Basically are we allowed to work 24/7, or will they want us in there before/after certain times?
A4. Currently there is no provision for premium time. It is anticipated this work will occur during standard working/business hours.
- e. Q5. For the 100 series Signs Types the bid form notes size 1, 2, and 3; but only 2 lengths are noted on the drawings. Please clarify:
A5. All lengths are indicated on drawings. The sign type descriptions were incorrect on bid form-it will now match sign drawing description.
- f. Q6. The description of the 250 series ADA signs is not clear on what parts can or should be 3D printing resin. Multiple vendors offer Braille and raised text 3D printed to the substrate, substrate is typically painted acrylic or photopolymer.
A6. Braille and raised graphics may be 3D printed on acrylic or photopolymer. The resin description will be removed from sign drawings. ADA portion description of all ADA signs will be adjusted

- g. Q7. For sign 240A, is there a minimum or maximum size for the LED screen?
A7. 43" screen is recommended, length and width dimensions will be added to drawings

III. DRAWINGS:

- a. Complete drawing set - Re-Issued
- b. Demolition Plan - Issued

END OF ADDENDUM

SECTION 000115 - LIST OF DRAWING SHEETS

1.1 LIST OF DRAWINGS

- A. Drawings: Drawings consist of the Contract Drawings and other drawings listed on the following Sheet Index and the Index of Drawings page of the separately bound drawing set titled "FNT Sign and Wayfinding" dated October 21, 2025 as modified by subsequent Addenda and Contract modifications.

FNT TERMINAL RESTROOMS UPGRADES: Following Sheet Index**SHEET INDEX****GENERAL**

G-100	COVER SHEET
G-101	GRAPHIC STANDARDS
G-102	GRAPHIC STANDARDS
G-103	SIGN DETAILS
G-104	SIGN DETAILS
G-105	SIGN DETAILS
G-106	SIGN DETAILS
G-107	SIGN DETAILS
G-108	SIGN DETAILS
G-109	SIGN DETAILS
G-110	SIGN DETAILS
G-111	SIGN DETAILS
G-112	SIGN DETAILS
G-113	SIGN DETAILS
G-114	ROOM SIGNS LOCATION PLAN - FLOOR 1 - SECTOR 1
G-115	ROOM SIGNS LOCATION PLAN - FLOOR 1 - SECTOR 2
G-116	ROOM LOCATION PLAN - FLOOR 1 - SECTOR 3
G-117	ROOM LOCATION PLAN - FLOOR 2 - SECTOR 1
G-118	ROOM LOCATION PLAN - FLOOR 2 - SECTOR 2
G-119	ROOM SIGNS LOCATION PLAN - FLOOR 2 - SECTOR 3
G-120	WAYFINDING SIGNS LOCATION PLAN - FLOOR 1 - SECTOR 1
G-121	WAYFINDING SIGNS LOCATION PLAN - FLOOR 1 - SECTOR 3
G-122	WAYFINDING SIGNS LOCATION PLAN - FLOOR 2 - SECTOR 1
G-123	WAYFINDING SIGNS LOCATION PLAN - FLOOR 2 - SECTOR 2
G-124	WAYFINDING SIGNS LOCATION PLAN - FLOOR 2 - SECTOR 3

G-125	ID SIGNS LOCATION PLAN - RESTROOMS - FLOOR 1 – SECTOR 1
G-126	ID SIGNS LOCATION PLAN - RESTROOMS - FLOOR 2
G-127	MESSAGE SCHEDULE
G-128	MESSAGE SCHEDULE
G-129	MESSAGE SCHEDULE
G-130	MESSAGE SCHEDULE
G-131	MESSAGE SCHEDULE
G-132	MESSAGE SCHEDULE
G-133	MESSAGE SCHEDULE
G-134	MESSAGE SCHEDULE
G-135	MESSAGE SCHEDULE
G-136	MESSAGE SCHEDULE
G-137	MESSAGE SCHEDULE
G-138	MESSAGE SCHEDULE
G-139	MESSAGE SCHEDULE
G-140	MESSAGE SCHEDULE
G-141	MESSAGE SCHEDULE
G-142	MESSAGE SCHEDULE
G-143	MESSAGE SCHEDULE
G-144	MESSAGE SCHEDULE
G-145	MESSAGE SCHEDULE
G-146	MESSAGE SCHEDULE
G-147	MESSAGE SCHEDULE
G-148	MESSAGE SCHEDULE
E-124	SECOND FLOOR PLAN

DEMOLITION PLAN SHEETS

SHEET 1	TITLE
SHEET 2	DEMO PHOTOS
SHEET 3	DEMO PHOTOS
SHEET 4	DEMO PHOTOS
SHEET 5	DEMO PHOTOS
SHEET 6	DEMO PHOTOS
SHEET 7	DEMO PHOTOS
SHEET 8	DEMO PHOTOS
SHEET 9	DEMO PHOTOS
SHEET 10	DEMO PHOTOS
SHEET 11	DEMO PHOTOS
SHEET 12	DEMO PHOTOS
SHEET 13	DEMO PHOTOS

END OF SECTION 000115

Appendix A

Signage and Graphics Bid Pricing Form

FNT Signage & Graphics	
FNT Bid Pricing - 2025-11/20	
SIGN TYPE	DESIGNATION
ST 100.A- Int. Overhead Directional- Soffit Mount	
ST 100.B- Int. Overhead Directional. Ceiling Mt, 2 sided	
ST 100.B1- Int. Overhead Directional- Soffit Mount, Size1	
ST 100.B2- Int. Overhead Directional- Soffit Mount, Size	
ST 100.C- Int. Overhead Welcome- Soffit Mount	
ST 100.A1 Int. Overhead directional / spandrel mount	
ST 100.A2 Int. Overhead directional / spandrel mount	
ST 130- Elevator Identification	
ST 220.A- Int. Gate Identification, Wall/Door Mount	
ST 220.B- Int.Gate Identification, Flag Mount	
ST 220.A. ALT Int. Gate Identification, Wall/Door Mount	
ST 250.A-ADA Room Identification-Front of House	
ST 250.B-ADA Room Identification-Back of House	
ST 250.D-ADA Office Identification-Front of House	
ST 240.B-Int. Static Pylon	
ST 240.A- Int. Pylon with Monitor	
ST 255- Int. Dimensional Letters at Conference Rooms	
ST 260.A- Int. First Floor Restroom Super Graphic	
ST 260.B- Int. Second Floor Restroom Super Graphic	
ST 260.C- Int. Second Floor Restroom Super Graphic	
ST 280- Int. Amenity Identification, Flag Mount	
ST 260.D- Int. Second Floor Restroom Super Graphic	
ST 290.A- Int. ADA Stair/Restroom Identification	
ST 290.B- Int. ADA Egress Stair Identification	
ST 290.C- Int. Family Restroom Identification	
ST. 300.A-Elevator Directory	
ST 330- Int. Fire Life Safety Flag Mount	
ST 360- Int. Baggage Claim Identification	
ST 400.A- Curbside Ticketing Identification, Beam Mount	
ST 400.B-Curbside Door Graphics, Wall Mount	
ST 400.C-Curbside Door Graphics, Flag Mount	
ST 410- Restricted Area ADA Identification	
ST 420- Restricted Area- Door Film	
ST 430- Emergency Exit Only- Door Film	
ST 440- Sterile Area Identification, Vinyl on Door/Wall	
ST 440.A- Sterile Area Identification, Vinyl on Door/Wall	
ST 440.B- Sterile Area Identification, Vinyl on Door/Wall	
ST 500- Dimensional Letters at Rental Cars	
Total Unit Cost	

Tax*	\$0.00
Install	\$0.00
S&H	\$0.00
Permitting	\$0.00
Shop Drawings / Samples / Engineering	\$0.00
Contingency	\$0.00
TOTAL	\$0.00

Vendor 1			
VENDOR 1 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
8			\$0.00
2			\$0.00
5			\$0.00
2			\$0.00
1			\$0.00
1			\$0.00
1			\$0.00
1			\$0.00
11			\$0.00
18			\$0.00
11			\$0.00
62			\$0.00
140			\$0.00
51			\$0.00
2			\$0.00
6			\$0.00
2			\$0.00
4			\$0.00
4			\$0.00
1			\$0.00
17			\$0.00
1			\$0.00
54			\$0.00
21			\$0.00
2			\$0.00
4			\$0.00
37			\$0.00
4			\$0.00
6			\$0.00
7			\$0.00
7			\$0.00
46			\$0.00
74			\$0.00
12			\$0.00
35			\$0.00
16			\$0.00
20			\$0.00
3			\$0.00
660			\$0.00
Vendor 1			

[illegible][illegible]

\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00

FNT Bid Pricing - 2025-10-27	
ALTERNATE A.1, A.2	
SIGN TYPE	DESIGNATION
ST 100.A.1 ALT	
ST 100.A.2 ALT	
Total Unit Cost	

	Tax*	\$0.00
	Install	\$0.00
	S&H	\$0.00
	Permitting	\$0.00
Shop Drawings / Samples / Engineering		\$0.00
	Contingency	\$0.00
	TOTAL	\$0.00

Vendor 1			
VENDOR 1 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
1			\$0.00
1			\$0.00
2			\$0.00
Vendor 1			

Vendor 2			
VENDOR 2 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
			\$0.00
			\$0.00
0			\$0.00
Vendor 2			

Vendor 3			
VENDOR 3 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
			\$0.00
			\$0.00
0			\$0.00
Vendor 3			

\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00

FNT Bid Pricing - 2025-10-27	
ALTERNATE B.1	
SIGN TYPE	DESIGNATION
ST 250.A- Int. ADA Room Identification, Front of House	
ST 250.B- Int. ADA Room Identification, Back of House	
ST 250.D- Int. ADA Office Identification, Front of House	
ST 255- Int. Dimensional Letters at Conference Room	
Total Unit Cost	

	Tax*	\$0.00
	Install	\$0.00
	S&H	\$0.00
	Permitting	\$0.00
Shop Drawings / Samples / Engineering		\$0.00
	Contingency	\$0.00
	TOTAL	\$0.00

Vendor 1			
VENDOR 1 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
72			\$0.00
153			\$0.00
54			\$0.00
2			\$0.00
279			\$0.00
Vendor 1			

Vendor 2			
VENDOR 2 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
			\$0.00
			\$0.00
			\$0.00
			\$0.00
0			\$0.00

		Vendor 3	
VENDOR 3 QUANTITY	UNIT COST	INSTALL COST	SIGN TYPE COST TOTAL
			\$0.00
			\$0.00
			\$0.00
			\$0.00
0			\$0.00
		Vendor 3	

\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
\$0.00	\$0.00
<u>\$0.00</u>	<u>\$0.00</u>
\$0.00	\$0.00



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, distributed, or used on any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.



Addendum No. 3
Wayfinding & Graphics

November 20 , 2025



Mead & Hunt



BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NGRL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:
G-100

PROJECT LOGOS1 - FNT




GENERAL NOTES


1. PRINTED COLORS ARE FOR REFERENCE ONLY AND SHOULD NOT BE MATCHED FROM THIS PAGE OR ANY OTHER PAGES IN THIS DOCUMENT.
2. TYPEFACES AND ARTWORK ARE INDICATED FOR REFERENCE ONLY AND SHALL NOT BE SCANNED FROM THIS PAGE OR ANY OTHER PAGES IN THIS DOCUMENT. USE ONLY ELECTRONIC ART PROVIDED BY THE CLIENT OR JONES WORLEY. USE ONLY COMPUTER-GENERATED FONTS.
3. PAINT FINISHES
ALL PAINT FINISHES TO BE SATIN/LOW GLOSS UNLESS OTHERWISE NOTED. GLOSS LEVELS ARE DEFINED FOLLOWING WHICH MATCH PUBLISHED GLOSS LEVEL SPECS FROM MATTHEWS PAINT COMPANY.
- GLOSS LEVELS BASED ON A 60 DEGREE GLOSS METER:
1. HIGH GLOSS FINISH (80+ degrees)
2. SEMI GLOSS FINISH (40–60 degrees)
3. SATIN GLOSS FINISH/LOW GLOSS (15–30 degrees)
4. MATTE FINISH (0–8 degrees)
5. TEXTURED FINISH
4. PRINTED VINYL
ANY VINYLs WITH OVER-PRINTED GRAPHICS ARE TO RECEIVE A CLEAR OVERLAMINATE FOR PROTECTION IF THE GRAPHICS ARE EXPOSED.

DEMOLITION / RENNOVATIONS AND PHASING BY OTHERS


PAINT




VINYL




DIGITAL



MATERIALS




SYMBOLS




REGULATORY SYMBOLS



EMERGENCY SYMBOLS



ARROW



FONTS

- F1 ELZA - REGULAR
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
- F2 ELZA - MEDIUM
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
- F3 ELZA - SEMIBOLD
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
- F4 ELZA - BOLD
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890

CODES AND STANDARDS

US Access Board Technical Guide, Section 216
SEGD Signage Requirements-2010 Standards for Accessible Design

SIGN TYPE LIST

- ST- 100.A Interior Overhead Directional, Soffit Mount, Size 1
ST- 100.A alt. Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST- 100.B Interior Overhead Directional, Suspended Mount
ST- 100.B.1 Interior Overhead Directional, Soffit Mount, Size 1
ST- 100.B.2 Interior Overhead Directional, Soffit Mount, Size 2
ST- 100.C Interior Overhead Welcome, Soffit Mount
ST- 130 Wall-mounted Directional
ST- 220.A Gate Identification, Wall Mount
ST- 220.B Gate Identification, Flag Mount
ST- 240.A Interior Pylon, Digital
ST- 240.B Interior Pylon, Static
ST- 250.A ADA, Type 1, FOH
ST- 250.B ADA, Type 2, BOH
ST- 250.D ADA, Type 4, Office Identification
ST- 255 Dimensional Letterforms at Conference Room
ST- 260 Specialty Restroom Graphics
ST- 280 Amenity Identification, Flag Mount
ST- 290.A ADA Stair / Restroom Identification
ST- 290.B Egress Stair Information
ST- 300.A Elevator Directory
ST- 330 Fire Life Safety Flag (FE/AED)
ST- 360 Baggage Carousel Identification
ST- 400.A Curbside Ticketing Beam Mount
ST- 400.B Curbside Door Graphics
ST- 400.C Curbside Door Identification, Flag Mount
ST- 410 Restricted Area
ST- 420 Door Restricted Area - Door Film
ST- 430 Emergency Exit- Door Film
ST- 440 Sterile Room Sign
ST- 500 Dimensional Letters

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

GRAPHIC
STANDARDS

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:

G-101

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\case9\Z5.rvt

DETAIL NOTES

- 1 Painted panel- matte finish
- 2 Semi-gloss paint or applied vinyl

SIGN TYPE EXAMPLE OF FINISHES
SCALE: NTS

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes
all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from mathews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls
any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
F2 Elza Medium
F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
P2 FNT Blue 2 (TBD)
P3 FNT Blue 3 (TBD)
P4 Mathews MP18100 Brushed Aluminium Metallic
- P5 Mathews MP000 Black
P6 Mathews MP000 White
P7 Mathews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminium 7125-120
V2 3m scotchcal Opaque Graphic film White opaque 7125-10
V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
V5 3m scotchcal Opaque Graphic film Geranium 7125-63




DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
D2 White CMYK
D3 Blue to match Pantone (TBD)
D4 Black CMYK

MATERIAL

- M1 Brushed Stainless Steel Finish



3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\c980\025.rvt



DETAIL NOTES

- 3/16" thick polycarbonate one piece double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.

SIGN TYPE 100.A INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT OPTION (SIZE 1)
SCALE: AS NOTED



DETAIL NOTES

- 3/16" thick polycarbonate one piece single sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 3" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Cloud and plane graphic artwork will be provided by Designer to Sign Contractor.

SIGN TYPE 100.A.1 ALT INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT (SIZE 2-ALTERNATE)
SCALE: AS NOTED

GENERAL NOTES

- Printed colors are for reference only and should not be matched from this page or any other pages in this document.
- Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or Jones Worley. Use only computer-generated fonts.
- Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from Matthews paint company.
- Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)
- Satin gloss finish/low gloss (15-30 degrees)
- Matte finish (0-8 degrees)
- Textured finish
- Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Matthews MP18100 Brushed Aluminum Metallic
- P5 Matthews MP000 Black
- P6 Matthews MP000 White
- P7 Matthews MP000 Red

VINYL




- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Geranium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL



- M1 Brushed Stainless Steel Finish



DETAIL NOTES

- 3/16" thick polycarbonate one piece double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Schematic mechanical attachment to structure in plenum. Sign Contractor to engineer connection into ceiling and coordinate with GC to devise mounting details.
- Round coverplates.

SIGN TYPE 100.B INTERIOR OVERHEAD DIRECTIONAL / SUSPENDED OPTION (SIZE 1)
SCALE: AS NOTED



DETAIL NOTES

- 3/16" thick polycarbonate one piece single sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 3" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Cloud and plane graphic artwork will be provided by Designer to Sign Contractor.

SIGN TYPE 100.A.2 ALT INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT (SIZE 2-ALTERNATE)
SCALE: AS NOTED

GENERAL NOTES

- Printed colors are for reference only and should not be matched from this page or any other pages in this document.
- Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or Jones Worley. Use only computer-generated fonts.
- Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from Matthews paint company.
- Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)
- Satin gloss finish/low gloss (15-30 degrees)
- Matte finish (0-8 degrees)
- Textured finish
- Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Matthews MP18100 Brushed Aluminum Metallic
- P5 Matthews MP000 Black
- P6 Matthews MP000 White
- P7 Matthews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Geranium 7125-63


DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL

- M1 Brushed Stainless Steel Finish

3/12/2025 3:59:30 PM C:\Revit\Local\32483.01-AR24_gena.mcd\cag025.rvt



2 SIDE VIEW
SCALE: 1" = 1"





Image for illustration purposes only.
Refer to MS/SLP for actual message
and location




1 INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT (SIZE 2-ALTERNATE): ELEVATION
SCALE: 3/8" = 1"

DETAIL NOTES

- 3/16" thick polycarbonate one piece single sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 3" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Cloud and plane graphic artwork will be provided by Designer to Sign Contractor.


SIGN TYPE **100.A.1** INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT
SCALE: AS NOTED



2 SIDE VIEW
SCALE: 1" = 1"

1 ST 100-B.1: INTERIOR OVERHEAD DIRECTIONAL, SOFFIT MOUNT, SIZE 1-DETAIL
SCALE: 1" = 1"

FIELD VERIFY EXISTING SIZE CONDITIONS



3 ST 100-B.1: INTERIOR OVERHEAD DIRECTIONAL, SOFFIT MOUNT, SIZE 1-ELEVATION
SCALE: 1/2" = 1"

DETAIL NOTES

- 3/16" thick polycarbonate one piece single-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.

SIGN TYPE **100.B.1** INTERIOR OVERHEAD DIRECTIONAL-SOFFIT MOUNT, SIZE 1
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or Jones Worley. Use only computer-generated fonts.

3. Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from Matthews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Matthews MP18100 Brushed Aluminium Metallic
- P5 Matthews MP000 Black
- P6 Matthews MP000 White
- P7 Matthews MP000 Red

VINYL


- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Germanium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL

- M1 Brushed Stainless Steel Finish



2 SIDE VIEW
SCALE: 1" = 1"






Image for illustration purposes only.
Refer to MS/SLP for actual message
and location




1 INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT (SIZE 2-ALTERNATE): ELEVATION
SCALE: 3/8" = 1"

DETAIL NOTES


- 3/16" thick polycarbonate one piece single sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 3" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Cloud and plane graphic artwork will be provided by Designer to Sign Contractor.

SIGN TYPE **100.A.2** INTERIOR OVERHEAD DIRECTIONAL / SPANDREL MOUNT
SCALE: AS NOTED



1 ST 100-B.1: INTERIOR OVERHEAD DIRECTIONAL, SOFFIT MOUNT, SIZE 1-DETAIL
SCALE: 1" = 1"

FIELD VERIFY EXISTING SIZE CONDITIONS



3 ST 100-B.2: INTERIOR OVERHEAD DIRECTIONAL, SOFFIT MOUNT, SIZE 2-ELEVATION
SCALE: 1/2" = 1"

DETAIL NOTES

- 3/16" thick polycarbonate one piece single-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.

SIGN TYPE **100.B.2** INTERIOR OVERHEAD DIRECTIONAL-SOFFIT MOUNT, SIZE 2
SCALE: AS NOTED

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO: 2715800-232483.01
DATE: November 20, 2025

DESIGNED BY: LBNG
DRAWN BY: NG/RL


CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:


G-104

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\cag0125.rvt




1 DETAIL ELEVATION
SCALE: 1" = 1'

ARTWORK TO BE PROVIDED UPON SELECTED OPTION BY OWNER



2 LOCATION ELEVATION
SCALE: 3/8" = 1'
FIELD VERIFY EXISTING CONDITIONS




4 OVERHEAD WELCOME / SPANDREL: SCHEMATIC VIEW
SCALE: NTS

DETAIL NOTES

- 3/16" thick polycarbonate one piece non-glare panel, with digital translucent graphics.
- 1" thick acrylic cut-out letters. Paint colors t.b.d. with semi-gloss finish. Pin-mount off substrate 1/4".

NOTE: Sign contractor to field verify existing conditions.

SIGN TYPE **100.C** INTERIOR OVERHEAD WELCOME, SPANDREL MOUNT
SCALE: AS NOTED



DETAIL NOTES

- 3/16" thick P-95 double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- First surface Direct Print white messages
- 12" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- 1/8" thick brushed aluminum panel, flushed to border, mounted to face with concealed mechanical fasteners.
- 1/8" thick mirror polished aluminum water-jet cut-out FNT Logo, pin mount to face.

LOCATION 1
LEFT SIDE OF STAIRS

SIGN TYPE **240.B** INTERIOR PYLON - STATIC
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from matthews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Matthews MP18100 Brushed Aluminium Metallic
- P5 Matthews MP000 Black
- P6 Matthews MP000 White
- P7 Matthews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Germanium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL


- M1 Brushed Stainless Steel Finish

DETAIL NOTES

- 3/16" thick P-95 double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- UHD Screen Monitor size and brand TBD
- First surface Direct Print white messages
- 12" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Brushed Aluminum internal frame to accept A 43" screen, with 1" brushed aluminum border with round corners
- 1/8" thick brushed aluminum panel, flushed to border, mounted to face with concealed mechanical fasteners.
- 1/8" thick mirror polished aluminum water-jet cut-out FNT Logo, pin mount to face.

POWER AND DATA REQUIRED.

SIGN TYPE **240.A** INTERIOR PYLON WITH MONITOR
SCALE: AS NOTED



DETAIL NOTES

- 3/16" thick P-95 double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- First surface Direct Print white messages
- 12" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- 1/8" thick brushed aluminum panel, flushed to border, mounted to face with concealed mechanical fasteners.
- 1/8" thick mirror polished aluminum water-jet cut-out FNT Logo, pin mount to face.

LOCATION 2
RIGHT SIDE OF STAIRS

SIGN TYPE **240.B** INTERIOR PYLON - STATIC
SCALE: AS NOTED

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project without the written agreement of Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO: 2715800-232483.01

DATE: November 20, 2025

DESIGNED BY: LB/NG

DRAWN BY: NG/RL

CHECKED BY: RL


DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-105

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gens.mcd\csg0125.rvt




1 FRONT VIEW
SCALE: 3/4" = 1' - 0"

SIDE VIEW



4 ELEVATOR ID: SCHEMATIC VIEW
SCALE: NTS



2 ELEVATION
SCALE: 3/4" = 1' - 0"

DETAIL NOTES


- 1/4" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- Direct digital printed messages
- Dashed line represents 1/8" thick acrylic backer

DETAIL NOTES

- 1/4" thick acrylic panel, painted face and returns..
- ADA raised tactile copy.
- Grade 2 Braille
- Brushed aluminum accent bar, flushed to panel
- Direct digital printed messages
- Dashed line represents 1/8" thick acrylic backer
- First surface Cloud and Plane graphics are glossy clear coat.
- Backer panel, blue with cloud image


SIGN TYPE **130** ELEVATOR ID
SCALE: AS NOTED

SIGN TYPE **250.A** ADA ROOM ID- FRONT OF HOUSE
SCALE: AS NOTED



1 FRONT VIEW
SCALE: 1/2"=1'

SIDE VIEW



3 ELEVATION
SCALE: 3/4" = 1' - 0"

DETAIL NOTES

- 1/4" thick acrylic panel, painted face and returns..
- ADA raised tactile copy.
- Grade 2 Braille
- Direct printed accent bar.
- Direct digital printed messages
- Dashed line represents 1/8" thick acrylic backer

DETAIL NOTES

- 1/4" thick acrylic panel, painted face and returns..
- ADA raised tactile copy.
- Grade 2 Braille
- 1/4" thick Brushed aluminum accent bar, flushed to panel
- 1/4" thick P95 clear acrylic removable insert with second surface paint finish, mounted to backer with magnetic strips.
- Direct print name on removable insert
- Dashed line represents 1/8" thick acrylic backer
- Bottom area with .032 steel backer to accept insert name with magnetic strips.

SIGN TYPE **250.B** ADA ROOM ID- BACK OF HOUSE
SCALE: AS NOTED

SIGN TYPE **250.D** ADA ROOM OFFICE ID- FRONT OF HOUSE
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes
all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from mathews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls
any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Mathews MP18100 Brushed Aluminium Metallic
- P5 Mathews MP000 Black
- P6 Mathews MP000 White
- P7 Mathews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Germanium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL

- M1 Brushed Stainless Steel Finish

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO: 2715800-232483.01
DATE: November 20, 2025

DESIGNED BY: LB/NG

DRAWN BY: NG/RL

CHECKED BY: RL

DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:

G-106


Mead
& Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.


3/12/2025 3:59:30 PM C:\Revit\Local\32483.01-AR24_gena.mcd\cas98\J25.rvt



DETAIL NOTES

- 1/4" Thick Brushed aluminum cutout symbols, 1/2" stroke.
- Pin Mounted and embedded into the wall, flushed.

SIGN TYPE **260.A** FIRST FLOOR RESTROOMS SUPER GRAPHIC SCALE: AS NOTED



DETAIL NOTES

- 1/4" Thick Brushed aluminum cutout symbols, 1/2" stroke.
- Pin Mounted and embedded into the wall, flushed.

SIGN TYPE **260.C** SECOND FLOOR RESTROOMS SUPER GRAPHIC SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from mathews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Mathews MP18100 Brushed Aluminium Metallic
- P5 Mathews MP000 Black
- P6 Mathews MP000 White
- P7 Mathews MP000 Red

VINYL


- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Geranium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL


- M1 Brushed Stainless Steel Finish



DETAIL NOTES

- 1/4" Thick Brushed aluminum cutout symbols, 1/2" stroke.
- Pin Mounted and embedded into the wall, flushed.

SIGN TYPE **260.B** SECOND FLOOR RESTROOMS SUPER GRAPHIC SCALE: AS NOTED



DETAIL NOTES

- 1/4" Thick Brushed aluminum cutout symbols, 1/2" stroke.
- Pin Mounted and embedded into the wall, flushed.

SIGN TYPE **260.D** SECOND FLOOR RESTROOMS SUPER GRAPHIC SCALE: AS NOTED

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2023 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO: 2715800-232483.01
DATE: November 20, 2025

DESIGNED BY: LB/NG

DRAWN BY: NG/RL

CHECKED BY: RL


DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-107


3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\cag025.rvt




3 ST 290.A: ADA STAIR / RESTROOM IDENTIFICATION-ALT. LAYOUTS
SCALE: 1 1/2" = 1'



1 ST 290.A: ADA STAIR / RESTROOM IDENTIFICATION, ELEVATION
SCALE: 3/4" = 1'



2 ST 290.A: ADA STAIR / RESTROOM IDENTIFICATION, DETAIL
SCALE: 3/4" = 1'



DETAIL NOTES

- 1/4" thick acrylic panel, painted face and returns..
- ADA raised tactile copy.
- Grade 2 Braille
- Brushed aluminum accent bar, flushed to panel
- Direct digital printed messages
- Dashed line represents 1/8" thick acrylic backer
- Second surface paint finish cloud graphic.

SIGN TYPE **290.A** ADA STAIR / RESTROOM IDENTIFICATION
SCALE: AS NOTED

DETAIL NOTES

- 1/4" thick acrylic panel, painted face and returns..
- ADA raised tactile copy.
- Grade 2 Braille
- Direct digital printed messages
- Dashed line represents 1/8" thick acrylic backer

SIGN TYPE **290.B** EGRESS STAIR ID
SCALE: AS NOTED



1 DETAIL VIEW
SCALE: 3/4" = 1'



Image for illustration purposes only.
Refer to MS/SLP for actual message and location

4 BAGGAGE CLAIM ID: SCHEMATIC VIEW
SCALE: NTS



2 FRONT VIEW
SCALE: 3/8" = 1'

3 ELEVATION
SCALE: 3/4" = 1'

DETAIL NOTES

- Digital printed graphics wrap around column, with clear matte finish overlaminates.

SIGN TYPE **360** BAGGAGE CLAIM ID
SCALE: AS NOTED

DETAIL NOTES

- 1/4" thick P-95 single-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- First surface Direct Print white messages
- Dashed line represents 1/8" thick acrylic backer
- Bottom section is first surface direct printed digital graphics

SIGN TYPE **300.A** ELEVATOR DIRECTORY
SCALE: AS NOTED

GENERAL NOTES

- Printed colors are for reference only and should not be matched from this page or any other pages in this document.
- Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

- Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from mathews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

- Satin gloss finish/low gloss (15-30 degrees)
- Matte finish (0-8 degrees)

- Textured finish

- Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminates for protection if the graphics are exposed.

TYPEFACES

- Elza Regular
- Elza Medium
- Elza Bold

PAINT

- | | | | |
|----|--|----|---------------------|
| P1 | FNT Blue 1 (TBD) | P5 | Mathews MP000 Black |
| P2 | FNT Blue 2 (TBD) | P6 | Mathews MP000 White |
| P3 | FNT Blue 3 (TBD) | P7 | Mathews MP000 Red |
| P4 | Mathews MP18100 Brushed Aluminium Metallic | | |

VINYL

- | | | | |
|----|---|----|---|
| V1 | 3m scotchcal Opaque Graphic film Pantones 7125-120 | V4 | 3m scotchcal Opaque Graphic film Black 7125-12 |
| V2 | 3m scotchcal Opaque Graphic film White opaque 7125-10 | V5 | 3m scotchcal Opaque Graphic film Geranium 7125-63 |
| V3 | 3m scotchcal Opaque Graphic film To match (TBD) | | |

DIGITAL PRINT

- | | |
|----|---------------------------------|
| D1 | Red CMYK To match Pantones 7127 |
| D2 | White CMYK |
| D3 | Blue to match Pantone (TBD) |
| D4 | Black CMYK |

MATERIAL

- | | |
|----|--------------------------------|
| M1 | Brushed Stainless Steel Finish |
|----|--------------------------------|

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO.: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-108


Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.


3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gens.mcd\csg0125.rvt



DETAIL NOTES

- 1/8" thick P-95 double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- 1" round tube mounted to wall with concealed mechanical fasteners.

SIGN TYPE **220.B** GATE IDENTIFICATION- FLAG MOUNT
SCALE: AS NOTED



DETAIL NOTES

- 1/8" thick P-95 double-sided non-glare panel, with second surface paint finish. Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- 1" round tube mounted to wall with concealed mechanical fasteners.

SIGN TYPE **400.C** CURBSIDE TICKETING IDENTIFICATION- BEAM MOUNT
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or Jones Worley. Use only computer-generated fonts.

3. Paint finishes
all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from Matthews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls
any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Matthews MP18100 Brushed Aluminium Metallic
- P5 Matthews MP000 Black
- P6 Matthews MP000 White
- P7 Matthews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Geranium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK


MATERIAL

- M1 Brushed Stainless Steel Finish

DETAIL NOTES

- 1/8" thick P-95 double-sided non-glare panel, with second surface paint finish. First surface Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- 1" round tube mounted to wall with concealed mechanical fasteners.

SIGN TYPE **280** AMENITY IDENTIFICATION- FLAG MOUNT
SCALE: AS NOTED



DETAIL NOTES

- 1/8" thick P-95 double-sided non-glare panel, with second surface paint finish. Cloud and Plane graphics are glossy clear coat.
- Matte finish white cut-out film graphics.
- 2" Deep Sign cabinet with structural framing and rounded corners. Brushed aluminum cladding returns.
- 1" round tube mounted to wall with concealed mechanical fasteners.

SIGN TYPE **400.A** CURBSIDE TICKETING IDENTIFICATION- BEAM MOUNT
SCALE: AS NOTED

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO.: 2715800-232483.01
DATE: November 20, 2025

DESIGNED BY: LBNG

DRAWN BY: NG/RL

CHECKED BY: RL


DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-109


3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\cas9\J25.rvt



DETAIL NOTES

- 1/2" thk. fabricated acrylic numerals
- Brushed aluminum returns numeral only.
- Mechanically fasten to wall with concealer fasteners.

SIGN TYPE **400.B** CURBSIDE DOOR GRAPHICS
SCALE: AS NOTED



DETAIL NOTES

- 1/2" thk. fabricated acrylic numerals
- Brushed aluminum returns
- Numerals are wall pin mounted.
- Wall Graphics cut-out premium wrap Film

SIGN TYPE **220.A. ALT** GATE IDENTIFICATION- WALL MOUNT
SCALE: AS NOTED

GENERAL NOTES

- Printed colors are for reference only and should not be matched from this page or any other pages in this document.
- Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

- Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from matthews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

- Satin gloss finish/low gloss (15-30 degrees)
- Matte finish (0-8 degrees)

- Textured finish

- Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- Elza Regular
- Elza Medium
- Elza Bold

PAINT

- | | | | |
|----|--|----|---------------------|
| P1 | FNT Blue 1 (TBD) | P5 | Mathews MP000 Black |
| P2 | FNT Blue 2 (TBD) | P6 | Mathews MP000 White |
| P3 | FNT Blue 3 (TBD) | P7 | Mathews MP000 Red |
| P4 | Mathews MP18100 Brushed Aluminium Metallic | | |

VINYL


- | | | | |
|----|--|----|---|
| V1 | 3m scotchcal Opaque Graphic film Satin aluminum 7125-120 | V4 | 3m scotchcal Opaque Graphic film Black 7125-12 |
| V2 | 3m scotchcal Opaque Graphic film White opaque 7125-10 | V5 | 3m scotchcal Opaque Graphic film Geranium 7125-63 |
| V3 | 3m scotchcal Opaque Graphic film To match (TBD) | | |

DIGITAL PRINT

- | | |
|----|---------------------------------|
| D1 | Red CMYK To match Pantones 7507 |
| D2 | White CMYK |
| D3 | Blue to match Pantone (TBD) |
| D4 | Black CMYK |

MATERIAL

- | | |
|----|--------------------------------|
| M1 | Brushed Stainless Steel Finish |
|----|--------------------------------|



DETAIL NOTES

- 1/2" thk. fabricated acrylic numerals
- Brushed aluminum returns
- Numerals are wall pin mounted.
- Wall Graphics cut-out premium wrap Film


SIGN TYPE **220.A** GATE IDENTIFICATION- WALL MOUNT
SCALE: AS NOTED

← **ECONOMY LOT SHUTTLE**
Layout 1- field locate-NOT ON SIGN LOCATION PLAN

RENTAL CARS
Layout 2- field locate

AIRPORT POLICE
Layout 3- field locate-NOT ON SIGN LOCATION PLAN

1 **ST-500: DIMENSIONAL LETTERS- LAYOUTS**
SCALE: 3/4" = 1'-0"



DETAIL NOTES

- 1/4" thk. acrylic letters, faces and edges painted FNT Blue, mechanically fastened to soffit with concealed fasteners.

SIGN TYPE **500** DIMENSIONAL LETTERS
SCALE: AS NOTED

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS


MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-110


3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\c980\Z5.rvt



DETAIL NOTES

- 1/4" thk. water jet cut brushed aluminum letterforms, mechanically fastened to wall with pins.
- Polished aluminum returns.


SIGN TYPE **255** DIMENSIONAL LETTERS AT CONFERENCE CENTER
SCALE: AS NOTED



DETAIL NOTES

- 1/4" thk. water jet cut brushed aluminum letterforms, mechanically fastened to wall with pins.
- Polished aluminum returns.

SIGN TYPE **255** DIMENSIONAL LETTERS AT CONFERENCE CENTER
SCALE: AS NOTED



DETAIL NOTES

- 1/4" thick acrylic panel non-glare with second surface paint finish.
- Direct digital printed messages.
- Dashed line represents 1/8" thick acrylic backer

SIGN TYPE **410** SIDA PLAQUE
SCALE: AS NOTED



DETAIL NOTES

- Direct print on white vinyl!

SIGN TYPE **420** RESTRICTED AREA-VINYL
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from mathews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
- P2 FNT Blue 2 (TBD)
- P3 FNT Blue 3 (TBD)
- P4 Mathews MP18100 Brushed Aluminium Metallic
- P5 Mathews MP000 Black
- P6 Mathews MP000 White
- P7 Mathews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
- V2 3m scotchcal Opaque Graphic film White opaque 7125-10
- V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
- V5 3m scotchcal Opaque Graphic film Geranium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
- D2 White CMYK
- D3 Blue to match Pantone (TBD)
- D4 Black CMYK

MATERIAL

- M1 Brushed Stainless Steel Finish

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS


MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-111

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gens.mcd\cas9\Z5.rvt



1 FRONT VIEW
SCALE: 3" = 1"





2 ELEVATION
SCALE: 3/4" = 1"


DETAIL NOTES

- 1 Direct print on white vinyl

SIGN TYPE **430** EMERGENCY EXIT-VINYL
SCALE: AS NOTED



1 ST 330- FIRE LIFE SAFETY FLAG, DETAIL
SCALE: 3" = 1'-0"



3 ST 330- FIRE LIFE SAFETY FLAG, DETAIL
SCALE: 3/4" = 1'-0"

DETAIL NOTES

- 1 .063" thick Square shape aluminum cut-out, bending on one side for 90 degree angle leaf wall mounted
- 2 1st surface Digital Print Graphics

SIGN TYPE **330** FIRE LIFE SAFETY FLAG
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.
2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from matthews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
- F2 Elza Medium
- F3 Elza Bold

PAINT

- | | | | |
|----|--|----|---------------------|
| P1 | FNT Blue 1 (TBD) | P5 | Mathews MP000 Black |
| P2 | FNT Blue 2 (TBD) | P6 | Mathews MP000 White |
| P3 | FNT Blue 3 (TBD) | P7 | Mathews MP000 Red |
| P4 | Mathews MP18100 Brushed Aluminium Metallic | | |

VINYL


- | | | | |
|----|--|----|---|
| V1 | 3m scotchcal Opaque Graphic film Satin aluminum 7125-120 | V4 | 3m scotchcal Opaque Graphic film Black 7125-12 |
| V2 | 3m scotchcal Opaque Graphic film White opaque 7125-10 | V5 | 3m scotchcal Opaque Graphic film Geranium 7125-63 |
| V3 | 3m scotchcal Opaque Graphic film To match (TBD) | | |

DIGITAL PRINT

- | | |
|----|--------------------------------|
| D1 | Red CMYK To match Pantones 757 |
| D2 | White CMYK |
| D3 | Blue to match Pantone (TBD) |
| D4 | Black CMYK |

MATERIAL


- | | |
|----|--------------------------------|
| M1 | Brushed Stainless Steel Finish |
|----|--------------------------------|



1 FRONT VIEW
SCALE: 3" = 1"



2 ELEVATION
SCALE: 3/4" = 1"




ELEVATION AT STAIR 4 (B203/B205)


DETAIL NOTES

- 1 Direct print on white vinyl
- DEMOLITION / RENNOVATIONS AND PHASING BY OTHERS


SIGN TYPE **440.A** SIDA 2-VINYL
SCALE: AS NOTED



1 FRONT VIEW
SCALE: 3" = 1"



2 ELEVATION
SCALE: 3/4" = 1"



ELEVATION AT STAIR 4 (B203/B205)

DETAIL NOTES

- 1 Direct print on white vinyl

SIGN TYPE **440.B** SIDA 2-VINYL
SCALE: AS NOTED

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be replicated, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:



G-111



1 1/4" thick painted acrylic panel with dorect printed graphics to be mounted flush above ST 290.A, as shown.

Provide backer panel to match ST 290.A.

SIGN TYPE 290.C FAMILY RESTROOM IDENTIFICATION IDENTIFICATION
SCALE: AS NOTED



MECHANICAL FASTENERS TO
PENETRATE STUD FRAMING,
COORDINATE WITH ARCHITECT
FOR BACKING SUPPORT

SIGN TYPE **280 400** FLAG MOUNTED - CONSTRUCTION DETAILS
SCALE: AS NOTED

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.

2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or Jones Worley. Use only computer-generated fonts.

Gloss levels based on a 60 degree gloss meter:


1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

5. Textured finish


6. Printed vinyls
any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

(F1) Elza Regular
 (F2) Elza Medium
 (F3) **Elza Bold**

		FNT Blue 1 (TBD)
		FNT Blue 2 (TBD)
		FNT Blue 3 (TBD)
		Mathews MP18100 Brushed Aluminium Metallic



		3m scotchcal Opaque Graphic film Satin aluminum 7125-120
		3m scotchcal Opaque Graphic film White opaque 7125-10
		3m scotchcal Opaque Graphic film To match (TRD)



D1 Red CMYK To match
 Pantone 1797
 D2 White CMYK
 D2 Blue to match
 Pantone (TBD)
 D2 Black CMYK

 Brushed Stainless Steel Finish

G-112

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-AR24_gena.mcd\cag025.rvt

SIGN TYPE **240.A** INTERIOR PYLON WITH MONITOR
SCALE: AS NOTED

GENERAL NOTES

1. Printed colors are for reference only and should not be matched from this page or any other pages in this document.
2. Typefaces and artwork are indicated for reference only and shall not be scanned from this page or any other pages in this document. Use only electronic art provided by the client or jones worley. Use only computer-generated fonts.

3. Paint finishes
all paint finishes to be satin/low gloss unless otherwise noted. Gloss levels are defined following which match published gloss level specs from matthews paint company.

Gloss levels based on a 60 degree gloss meter:
1. High gloss finish (80+ degrees)
2. Semi gloss finish (40-60 degrees)

3. Satin gloss finish/low gloss (15-30 degrees)
4. Matte finish (0-8 degrees)

5. Textured finish

6. Printed vinyls
any vinyls with over-printed graphics are to receive a clear overlaminate for protection if the graphics are exposed.

TYPEFACES

- F1 Elza Regular
F2 Elza Medium
F3 Elza Bold

PAINT

- P1 FNT Blue 1 (TBD)
P2 FNT Blue 2 (TBD)
P3 FNT Blue 3 (TBD)
P4 Matthews MP18100 Brushed Aluminium Metallic
- P5 Matthews MP000 Black
P6 Matthews MP000 White
P7 Matthews MP000 Red

VINYL

- V1 3m scotchcal Opaque Graphic film Satin aluminum 7125-120
V2 3m scotchcal Opaque Graphic film White opaque 7125-10
V3 3m scotchcal Opaque Graphic film To match (TBD)
- V4 3m scotchcal Opaque Graphic film Black 7125-12
V5 3m scotchcal Opaque Graphic film Germanium 7125-63

DIGITAL PRINT

- D1 Red CMYK To match Pantones 7507
D2 White CMYK
D3 Blue to match Pantone (TBD)
D4 Black CMYK




MATERIAL

- M1 Brushed Stainless Steel Finish

SIGN TYPE **100.X** ALL INTERIOR OVERHEAD DIRECTIONAL - CONSTRUCTION DETAILS

DETAIL NOTES

- 1 3/4" square aluminum tube internal frame.
2 Mechanical fasteners if spandrel mounted.
3 2" x 1" rectangular tube aluminum outer frame.
4 Mechanical fasteners into substrate (spandrel mounted option)
- 5 Internal blocking.
6 Continuous aluminum angle retainer with countersunk mechanical fasteners into frame. Fasteners to match frame color so as to be inconspicuous.



Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2023 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
DETAILS

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-113

ROOM SIGNS
Level 1 - Sector 1

SIGN TYPE LIST	
ST-100 A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100 alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100 B	Interior Overhead Directional, Suspended Mount
ST-100 B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST-100 B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100 C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220 A	Gate Identification, Wall Mount
ST-220 B	Gate Identification, Flag Mount
ST-240 A	Interior Pylon, Digital
ST-240 B	Interior Pylon, Static
ST-250 A	ADA, Type 1, FOH
ST-250 B	ADA, Type 2, BOH
ST-250 D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290 A	ADA Star / Restroom Identification
ST-290 B	Egress Star Information
ST-300 A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400 A	Curbside Ticketing Beam Mount
ST-400 B	Curbside Door Graphics
ST-400 C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit- Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters


Mead & Hunt

Mead & Hunt, Inc.
2440 Dering Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP
AIRPORT

© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, distributed, or used in any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.



SIGN LOCATION TBD
- L11-250 B-239

1 ROOM SIGNS Lev. 1- Sec. 1
SCALE: NTS

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gena.mcd\cas90125.rvt

SECTOR
NUMBER

SIGN
TYPE

POWER REQUIRED
DATA REQUIRED

00-00-001

ed

▲

▲

SIGN
NUMBER

SIDE A

SIDE B

BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
FLOOR 1
SECTOR 1

M&H NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS



SHEET NO.:

G-114

ROOM SIGNS

Level 1 - Sector 2

SIGN TYPE LIST	
ST- 100 A	Interior Overhead Directional, Soffit Mount, Size 1
ST- 100 A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST- 100 B	Interior Overhead Directional, Suspended Mount
ST- 100 B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST- 100 B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST- 100 C	Interior Overhead Welcome, Soffit Mount
ST- 130	Wall-mounted Directional
ST- 220 A	Gate Identification, Wall Mount
ST- 220 B	Gate Identification, Flag Mount
ST- 240 A	Interior Pylon, Digital
ST- 240 B	Interior Pylon, Static
ST- 250 A	ADA, Type 1, FOH
ST- 250 B	ADA, Type 2, BOH
ST- 250 D	ADA, Type 4, Office Identification
ST- 255	Dimensional Letterforms at Conference Room
ST- 260	Specialty Restroom Graphics
ST- 280	Amenity Identification, Flag Mount
ST- 290 A	ADA Star / Restroom Identification
ST- 290 B	Egress Star Information
ST- 300 A	Elevator Directory
ST- 330	Fire Life Safety Flag (FE/AED)
ST- 360	Baggage Carousel Identification
ST- 400 A	Curbside Ticketing Beam Mount
ST- 400 B	Curbside Door Graphics
ST- 400 C	Curbside Door Identification, Flag Mount
ST- 410	Restricted Area
ST- 420	Door Restricted Area - Door Film
ST- 430	Emergency Exit- Door Film
ST- 440	Sterile Room Sign
ST- 500	Dimensional Letters



1 ROOM SIGNS Lev. 1- Sec. 2

SCALE: NTS

Mead & Hunt

Mead & Hunt, Inc.
2440 Dering Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
FLOOR 1
SECTOR 2

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-115

ROOM SIGNS
Level 1 - Sector 3

SIGN TYPE LIST	
ST-100 A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100 A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100 B	Interior Overhead Directional, Suspended Mount
ST-100 B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST-100 B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100 C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220 A	Gate Identification, Wall Mount
ST-220 B	Gate Identification, Flag Mount
ST-240 A	Interior Pylon, Digital
ST-240 B	Interior Pylon, Static
ST-250 A	ADA, Type 1, FOH
ST-250 B	ADA, Type 2, BOH
ST-250 D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290 A	ADA Star / Restroom Identification
ST-290 B	Egress Star Information
ST-300 A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400 A	Curbside Ticketing Beam Mount
ST-400 B	Curbside Door Graphics
ST-400 C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit- Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters


Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP
AIRPORT

© Copyright 2023 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project without the written agreement of Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.



SECTOR
NUMBER

SIGN
TYPE

POWER REQUIRED
DATA REQUIRED

00-00-001

ed

SIGN
NUMBER

SIDE A

SIDE B

1

ROOM SIGNS Lev. 1- Sec. 3

SCALE: NTS

BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
FLOOR 1
SECTOR 3


M&H NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NGIRL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS
SHEET NO.:
G-116


ROOM SIGNS
Level 2 - Sector 1

Table with 2 columns: Sign Type (e.g., ST-100 A, ST-100 B, ST-100 B.1) and Description (e.g., Interior Overhead Directional, Signfit Mount, Size 1; Interior Overhead Directional, Suspended Mount; Interior Overhead Directional, Signfit Mount, Size 1).

Mead & Hunt logo and contact information: Mead & Hunt, Inc., 2440 Deming Way, Middleton, WI 53562, phone: 608-273-6380, meadhunt.com. Includes Flint Bishop Airport logo.



SIGN LOCATION TBD
- L2.1-250.



1 ROOM SIGNS Lev. 2- Sec. 1
SCALE: NTS

BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507
SIGN LOCATION PLAN
FLOOR 2
SECTOR 1

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS
ENLARGED PLANS & ELEVATIONS
SHEET NO.: G-117

ROOM SIGNS
Level 2 - Sector 2

SIGN TYPE LIST	
ST-100.A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100.B	Interior Overhead Directional, Suspended Mount
ST-100.B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100.C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220.A	Gate Identification, Wall Mount
ST-220.B	Gate Identification, Flag Mount
ST-240.A	Interior Pylon, Digital
ST-240.B	Interior Pylon, Static
ST-250.A	ADA, Type 1, FOH
ST-250.B	ADA, Type 2, BOH
ST-250.D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290.A	ADA Star / Restroom Identification
ST-290.B	Egress Star Information
ST-300.A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400.A	Curbside Ticketing Beam Mount
ST-400.B	Curbside Door Graphics
ST-400.C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit- Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters


Mead & Hunt

Mead & Hunt, Inc.
2440 Dering Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP
AIRPORT

© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.



SIGN LOCATION TBD
- L2.2-250.A-081
- L2.2-250.A-083

SECTOR
NUMBER

SIGN
TYPE

POWER REQUIRED
DATA REQUIRED

00-00-001

e

D

▶▶

◀◀

SIGN
NUMBER

SIDE A

SIDE B

1

ROOM SIGNS Lev. 2- Sec. 2
SCALE: NTS

BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
FLOOR 2
SECTOR 2

MBH NO.: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:
G-118

ROOM SIGNS
Level 2 - Sector 3

SIGN TYPE LIST	
ST-100.A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.B	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100.B.1	Interior Overhead Directional, Suspended Mount
ST-100.B.2	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220.A	Gate Identification, Wall Mount
ST-220.B	Gate Identification, Flag Mount
ST-240.A	Interior Pylon, Digital
ST-240.B	Interior Pylon, Static
ST-250.A	ADA, Type 1, FOH
ST-250.B	ADA, Type 2, BOH
ST-250.D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290.A	ADA Star / Restroom Identification
ST-290.B	Egress Star Information
ST-300.A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400.A	Curbside Ticketing Beam Mount
ST-400.B	Curbside Door Graphics
ST-400.C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit- Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters


Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP
AIRPORT

© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project without the written agreement of Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.



SIGN LOCATION TBD
- L2.3-250.B-090
- L2.3-250.B-091
- L2.3-250.B-092
- L2.3-250.B-093
- L2.3-250.B-094

SECTOR
NUMBER

SIGN
TYPE

POWER REQUIRED
DATA REQUIRED

00-00-001

ed

▶▶

◀◀

SIGN
NUMBER

SIDE A

SIDE B

1 ROOM SIGNS Lev. 2- Sec. 3
SCALE: NTS

BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
FLOOR 2
SECTOR 3

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS


ENLARGED PLANS &
ELEVATIONS

SHEET NO.:
G-119

Level 1 - Sector 1

SIGN TYPE LIST

ST-100 A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100 A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100 B	Interior Overhead Directional, Suspended Mount
ST-100 B.2	Interior Overhead Directional, Soffit Mount, Size 1
ST-100 B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100 C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220 A	Gate Identification, Wall Mount
ST-220 B	Gate Identification, Flag Mount
ST-240 A	Interior Pylon, Digital
ST-240 B	Interior Pylon, Static
ST-250 A	ADA, Type 1, FOH
ST-250 B	ADA, Type 2, BOH
ST-250 D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290 A	ADA Sign / Electronium Identification
ST-290 B	Egress Star Information
ST-300 A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400 A	Outsides Telescreen Beam Mount
ST-400 B	Outsides Door Graphics
ST-400 C	Outsides Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit - Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.




Diagram illustrating the 12-bit data format for the 1200 baud rate. The data is divided into three 4-bit fields: Sector Number, Sign Type, and Power Required. The Sign Type field is further divided into Sign Number, Side A, and Side B.

Labels and values shown in the diagram:

- SECTOR NUMBER: 00-00-001
- SIGN TYPE: 00-00-001
- POWER REQUIRED: 00-00-001
- SIGN NUMBER: 00-00-001
- SIDE A: 00-00-001
- SIDE B: 00-00-001

1

WAYFINDING SIGNS Lev. 1- Sec. 1

SCALE: NTS

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

**SIGN
LOCATION PLAN
FLOOR 1
SECTOR 1**

M&H NO.: 2715900-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

G-120

WAYFINDING SIGNS

Level 1 - Sector 3

SIGN TYPE LIST	
ST-100.A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100.B	Interior Overhead Directional, Suspended Mount
ST-100.B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100.C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220.A	Gate Identification, Wall Mount
ST-220.B	Gate Identification, Flag Mount
ST-240.A	Interior Pylon, Digital
ST-240.B	Interior Pylon, Static
ST-250.A	ADA, Type 1, FOH
ST-250.B	ADA, Type 2, BOH
ST-250.D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290.A	ADA Star / Restroom Identification
ST-290.B	Egress Star Information
ST-300.A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400.A	Curbside Ticketing Beam Mount
ST-400.B	Curbside Door Graphics
ST-400.C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit - Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters


Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP
AIRPORT

© Copyright 2023 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, distributed, or used on any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.




Level 2 - Sector 1

SIGN TYPE LIST


ST-100 A	Interior Overhead Directional, Softfi Mount, Size 1
ST-100 A alt.	Interior Overhead Directional, Softfi Mount, Size 2 ALT.
ST-100 B	Interior Overhead Directional, Suspended Mount
ST-100 B.2	Interior Overhead Directional, Softfi Mount, Size 2
ST-100 C	Interior Overhead Welcome, Softfi Mount
ST-130	Wall-mounted Directional
ST-220 A	Gate Identification, Wall Mount
ST-220 B	Gate Identification, Flag Mount
ST-240 A	Interior Plyon, Digital
ST-240 B	Interior Plyon, Static
ST-250 A	ADA, Type 1, F.O.H
ST-250 B	ADA, Type 2, B.O.H
ST-250 D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290 A	ADA Star / Restroom Identification
ST-290 B	Egress Star Information
ST-300 A	Elevator Directional
ST-330	Fire Life Safety Flag (F/E/AFD)
ST-360	Baggage Carousel Identification
ST-400 A	Curbside Ticketing Beam Mount
ST-400 B	Curbside Door Graphics
ST-400 C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-430	Door Restricted Area - Door Film
ST-440	Emergency Exit Door Film
ST-450	Sterile Room Sign
ST-500	Dimensional Letters



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.



8/12/2025 3:59:30 PM C:\Revit Local\232483.01-A-R24_gena.mollica98UZ5.mt



1 WAYFINDING SIGNS Lev. 2 - Sec. 1
SCALE: NTS

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

**SIGN
LOCATION PLAN
FLOOR 2
SECTOR 1**

M&H NO.: 2715900-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

G-122

WAYFINDING SIGNS

Level 2 - Sector 2

SIGN TYPE LIST	
ST-100.A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100.B	Interior Overhead Directional, Suspended Mount
ST-100.B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100.C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220.A	Gate Identification, Wall Mount
ST-220.B	Gate Identification, Flag Mount
ST-240.A	Interior Pylon, Digital
ST-240.B	Interior Pylon, Static
ST-250.A	ADA, Type 1, FOH
ST-250.B	ADA, Type 2, BOH
ST-250.D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290.A	ADA Star / Restroom Identification
ST-290.B	Egress Star Information
ST-300.A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400.A	Curbside Ticketing Beam Mount
ST-400.B	Curbside Door Graphics
ST-400.C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit- Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters


Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP
AIRPORT

© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, distributed, or used on any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.



1 WAYFINDING SIGNS Lev. 2 - Sec. 2

SCALE: NTS

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\cas9\U25.rvt

SECTOR
NUMBER

SIGN
TYPE

POWER REQUIRED
DATA REQUIRED

00-00-001

ed

SIGN
NUMBER

SIDE A

SIDE B

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
FLOOR 2
SECTOR 2

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:

G-123


Level 2 - Sector 3

**Mead
& Hunt**

Mead & Hunt, Inc.
2440 Deming Way
Middletown, NJ 05562
phone: 608-273-6380
meadhunt.com



© Copyright 2005 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, disclosed or used on any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.




SIGN
LOCATION PLAN
FLOOR 2
SECTOR 3


G-124

ID SIGNS
Restrooms Lv.1

SIGN TYPE LIST	
ST- 100 A	Interior Overhead Directional, Soffit Mount, Size 1
ST- 100 A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST- 100 B	Interior Overhead Directional, Suspended Mount
ST- 100 B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST- 100 B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST- 100 C	Interior Overhead Welcome, Soffit Mount
ST- 130	Wall-mounted Directional
ST- 220 A	Gate Identification, Wall Mount
ST- 220 B	Gate Identification, Flag Mount
ST- 240 A	Interior Pylon, Digital
ST- 240 B	Interior Pylon, Static
ST- 250 A	ADA, Type 1, FOH
ST- 250 B	ADA, Type 2, BOH
ST- 250 D	ADA, Type 4, Office Identification
ST- 255	Dimensional Letterforms at Conference Room
ST- 260	Specialty Restroom Graphics
ST- 280	Amenity Identification, Flag Mount
ST- 290 A	ADA Star / Restroom Identification
ST- 290 B	Egress Star Information
ST- 300 A	Elevator Directory
ST- 330	Fire Life Safety Flag (FE/AED)
ST- 360	Baggage Carousel Identification
ST- 400 A	Curbside Ticketing Beam Mount
ST- 400 B	Curbside Door Graphics
ST- 400 C	Curbside Door Identification, Flag Mount
ST- 410	Restricted Area
ST- 420	Door Restricted Area - Door Film
ST- 430	Emergency Exit- Door Film
ST- 440	Sterile Room Sign
ST- 500	Dimensional Letters



1 MENS RESTROOM 119 WOMENS RESTROOM 120 -SIGNAGE PLAN
1/4" = 1'-0"



Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, distributed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT
3425 BRISTOL ROAD
FLINT, MICHIGAN 48507


SIGN
LOCATION PLAN
RESTROOMS
FLOOR 1
SECTOR 1

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS


ENLARGED PLANS & ELEVATIONS
SHEET NO.:

G-125


ID SIGNS
Restrooms Lv.2




1 MENS RESTROOM 240 & S.A.R.A. 240A - SIGNAGE PLAN
1/4" = 1'-0"




2 WOMENS RESTROOM 241 & MULTI-USER RESTROOM 241A - SIGNAGE PLAN
1/4" = 1'-0"



3 MENS RESTROOM 215 & WOMENS RESTROOM 216 - SIGNAGE PLAN
1/4" = 1'-0"



4 CONFERENCE ROOM RESTROOM B202 - SIGNAGE PLAN
1/4" = 1'-0"



SIGN TYPE LIST	
ST-100.A	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.A alt.	Interior Overhead Directional, Soffit Mount, Size 2 ALT.
ST-100.B	Interior Overhead Directional, Suspended Mount
ST-100.B.1	Interior Overhead Directional, Soffit Mount, Size 1
ST-100.B.2	Interior Overhead Directional, Soffit Mount, Size 2
ST-100.C	Interior Overhead Welcome, Soffit Mount
ST-130	Wall-mounted Directional
ST-220.A	Gate Identification, Wall Mount
ST-220.B	Gate Identification, Flag Mount
ST-240.A	Interior Pylon, Digital
ST-240.B	Interior Pylon, Static
ST-250.A	ADA, Type 1, FOH
ST-250.B	ADA, Type 2, BOH
ST-250.D	ADA, Type 4, Office Identification
ST-255	Dimensional Letterforms at Conference Room
ST-260	Specialty Restroom Graphics
ST-280	Amenity Identification, Flag Mount
ST-290.A	ADA Star / Restroom Identification
ST-290.B	Egress Star Information
ST-300.A	Elevator Directory
ST-330	Fire Life Safety Flag (FE/AED)
ST-360	Baggage Carousel Identification
ST-400.A	Curbside Ticketing Beam Mount
ST-400.B	Curbside Door Graphics
ST-400.C	Curbside Door Identification, Flag Mount
ST-410	Restricted Area
ST-420	Door Restricted Area - Door Film
ST-430	Emergency Exit- Door Film
ST-440	Sterile Room Sign
ST-500	Dimensional Letters

Mead & Hunt
Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2023 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be reproduced, distributed, or used in any other project or extension of this project without the written agreement of Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

SIGN
LOCATION PLAN
RESTROOMS
FLOOR 2

MBH NO.: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS


ENLARGED PLANS &
ELEVATIONS

SHEET NO.:



G-126



3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg025.rvt

Location	Sign ID	Message
L1.1 - Level 1 - Sector 1		
L1.1	L1.1-400.A-001	
L1.1	L1.1-400.B-002	DOOR 1
L1.1	L1.1-400.C-003	 Side A and B Same
L1.1	L1.1-330-004	 Side A  Side B
L1.1	L1.1-100.B.1-005	

Location	Sign ID	Message
L1.1	L1.1-240.B-018	
L1.1	L1.1-100B.2-019	
L1.1	L1.1-400.B-020	DOOR 4
L1.1	L1.1-300.A-021	
L1.1	L1.1-280-022	 Side A  Side B
L1.1	L1.1-400.A-023	


Location	Sign ID	Message
L1.1	L1.1-400.A-006	
L1.1	L1.1-100.B.1-007	
L1.1	L1.1-400.B-008	DOOR 2
L1.1	L1.1-400.C-009	 Side A and B Same
L1.1	L1.1-330-010	 Side A  Side B
L1.1	L1.1-400.C-011	 Side A and B Same



Location	Sign ID	Message
L1.1	L1.1-400.C-024	 Side A and B Same
L1.1	L1.1-130-025	
L1.1	L1.1-330-026	 Side A  Side B
L1.1	L1.1-290.B-027	
L1.1	L1.1-290.B-028	


Location	Sign ID	Message
L1.1	L1.1-400.B-012	DOOR 3
L1.1	L1.1-100.B.1-013	
L1.1	L1.1-330-014	 Side A  Side B
L1.1	L1.1-400.A-015	
L1.1	L1.1-240.B-016	
L1.1	L1.1-330-017	 Side A  Side B
L1.1	L1.1-290.B-029	
L1.1	L1.1-290.A-030	
L1.1	L1.1-400.B-031	DOOR 5
L1.1	L1.1-100.B.1-032	
L1.1	L1.1-330-033	 Side A  Side B
L1.1	L1.1-400.C-034	 Side A and B Same




3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicase\U25.rvt




Location	Sign ID	Message
L1.1	L1.1-360-035	
L1.1	L1.1-400.A-036	
L1.1	L1.1-360-037	
L1.1	L1.1-330-038	
L1.1	L1.1-330-039	

Location	Sign ID	Message
L1.1	L1.1-500-144	
L1.1	L1.1-290.A-145	
L1.1	L1.1-290.A-146	
L1.1	L1.1-290.A-147	
L1.1	L1.1-290.A-148	



Location	Sign ID	Message
L1.1	L1.1-400.B-040	
L1.1	L1.1-100.B.1-041	
L1.1	L1.1-400.C-042	
L1.1	L1.1-360-043	
L1.1	L1.1-400.A-044	
L1.1	L1.1-400.B-045	


Location	Sign ID	Message
L1.1	L1.1-220.B-149	
L1.1	L1.1-220.B-150	
L1.1	L1.1-220.B-151	
L1.1	L1.1-220.B-152	
L1.1	L1.1-220.B-153	



Location	Sign ID	Message
L1.1	L1.1-100B.2-046	
L1.1	L1.1-360-047	
L1.1	L1.1-400.C-048	
L1.1	L1.1-330-049	
L1.1	L1.1-290.B-050	
L1.1	L1.1-290.A-142	


Location	Sign ID	Message
L1.1	L1.1-220.B-154	
L1.1	L1.1-220.B-155	
L1.3 - Level 1 - Sector 3		
L1.3	L1.3-290.A-001	
L1.3	L1.3-290.B-002	
L1.3	L1.3-290.A-003	



3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg\Z5.rvt


Location	Sign ID	Message
L1.3	L1.3-330-004	 
L1.3	L1.3-290.B-005	
L1.3	L1.3-290.A-006	
L1.3	L1.3-290.A-007	
L1.3	L1.3-290.B-008	

Location	Sign ID	Message
L1.3	L1.3-280-009	 
L1.3	L1.3-300.A-010	
L1.3	L1.3-330-011	 
L1.3	L1.3-290.A-012	
L1.3	L1.3-290.B-013	

Location	Sign ID	Message
L1.3	L1.3-290.B-014	
L1.3	L1.3-290.A-015	
L1.3	L1.3-290.A-016	
L1.3	L1.3-290.A-017	
L1.3	L1.3-290.B-018	

Location	Sign ID	Message
L1.3	L1.3-290.A-019	
L1.3	L1.3-290.A-020	
L1.3	L1.3-290.A-104	
L2.1 - Level 2 - Sector 1		
L2.1	L2.1-290.A-013	
L2.1	L2.1-290.B-014	

Location	Sign ID	Message
L2.1	L2.1-290.B-035	
L2.1	L2.1-290.A-036	
L2.1	L2.1-330-037	 
L2.1	L2.1-100.A-046	
L2.1	L2.1-280-047	 
L2.1	L2.1-290.A-048	

Location	Sign ID	Message
L2.1	L2.1-290.B-049	
L2.1	L2.1-300.A-053	
L2.1	L2.1-290.A-056	
L2.1	L2.1-290.A-059	
L2.1	L2.1-290.A-060	

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

MESSAGE
SCHEDULE



MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS




ENLARGED PLANS &
ELEVATIONS



SHEET NO.:


G-129




3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicase\U25.rvt


Location	Sign ID	Message
L2.1	L2.1-290.A-061	
L2.1	L2.1-290.B-065	
L2.1	L2.1-290.A-083	
L2.1	L2.1-290.A-084	
L2.1	L2.1-290.B-085	

Location	Sign ID	Message
L2.2	L2.2-300.A-079	
L2.2	L2.2-290.A-080	
L2.2	L2.2-290.B-081	
L2.2	L2.2-290.B-082	
L2.2	L2.2-290.A-083	

Location	Sign ID	Message
L2.1	L2.1-290.A-086	
L2.1	L2.1-330-102	
L2.1	L2.1-330-103	
L2.1	L2.1-280-104	
L2.1	L2.1-290.A-105	
L2.1	L2.1-100.A-106	


Location	Sign ID	Message
L2.2	L2.2-330-084	
L2.2	L2.2-330-085	
L2.2	L2.2-330-086	
L2.2	L2.2-100.A-087	
L2.2	L2.2-100.A-088	
L2.2	L2.2-100.A-089	
L2.2	L2.2-100.A-090	
L2.2	L2.2-100.B-091	

Location	Sign ID	Message
L2.1	L2.1-255-107	
L2.1	L2.1-255-108	
L2.1	L2.1-280-109	
L2.1	L2.1-280-110	
L2.2 - Level 2 - Sector 2		
L2.2	L2.2-100.C-052	
L2.2	L2.2-100.A-064	
L2.2	L2.2-100.A-065	
L2.2	L2.2-280-073	



Location	Sign ID	Message
L2.3 - Level 2 - Sector 3		
L2.3	L2.3-220.B-001	
L2.3	L2.3-220.A-002	
L2.3	L2.3-220.A-004	
L2.3	L2.3-290.A-005	
L2.3	L2.3-290.B-006	



3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicase\U25.rvt


Location	Sign ID	Message
L2.3	L2.3-220.B-009	
L2.3	L2.3-220.A-014	1
L2.3	L2.3-220.B-015	
L2.3	L2.3-240.A-016	
L2.3	L2.3-290.A-017	

Location	Sign ID	Message
L2.3	L2.3-290.B-018	
L2.3	L2.3-240.A-023	
L2.3	L2.3-240.A-024	
L2.3	L2.3-220.B-025	
L2.3	L2.3-220.A-026	4

Location	Sign ID	Message
L2.3	L2.3-240.A-027	
L2.3	L2.3-220.A-030	5
L2.3	L2.3-220.A-031	6
L2.3	L2.3-220.A-032	7
L2.3	L2.3-220.A-033	11


Location	Sign ID	Message
L2.3	L2.3-220.B-034	
L2.3	L2.3-220.B-035	
L2.3	L2.3-220.B-036	
L2.3	L2.3-220.B-037	
L2.3	L2.3-240.A-038	

Location	Sign ID	Message
L2.3	L2.3-290.A-039	
L2.3	L2.3-290.B-040	
L2.3	L2.3-220.A-047	10
L2.3	L2.3-220.B-048	
L2.3	L2.3-290.B-055	


Location	Sign ID	Message
L2.3	L2.3-220.A-056	8
L2.3	L2.3-220.B-057	
L2.3	L2.3-240.A-058	
L2.3	L2.3-290.A-059	
L2.3	L2.3-220.A-061	9

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicas9\Z5.rvt




Location	Sign ID	Message
L2.3	L2.3-220.B-062	
L2.3	L2.3-330-79	
L2.3	L2.3-330-80	
L2.3	L2.3-330-81	
L2.3	L2.3-330-82	

L2.3	L2.3-330-93	
L2.3	L2.3-330-94	
L2.3	L2.3-330-95	
L2.3	L2.3-330-96	
L2.3	L2.3-330-97	

L2.3	L2.3-330-83	
L2.3	L2.3-330-84	
L2.3	L2.3-330-85	
L2.3	L2.3-330-86	
L2.3	L2.3-330-87	

L2.3	L2.3-330-98	
L2.3	L2.3-100.B-099	
L.2-RR - Restroom Update - Level 2		
L.2-RR	L.2-RR-250.B-001	
L.2-RR	L.2-RR-290.A-003	
L.2-RR	L.2-RR-290.A-004	





L2.3	L2.3-330-88	
L2.3	L2.3-330-89	
L2.3	L2.3-330-90	
L2.3	L2.3-330-91	
L2.3	L2.3-330-92	





L.2-RR	L.2-RR-250.B-007	
L.2-RR	L.2-RR-290.A-008	
L.2-RR	L.2-RR-290.A-009	
L.2-RR	L.2-RR-290.A-010	
L.2-RR	L.2-RR-290.A-011	






3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg025.rvt

Location	Sign ID	Message
L.2-RR	L.2-RR-290.A-013	
L.2-RR	L.2-RR-250.B-015	DELETED ADDENDUM 3
L.2-RR	L.2-RR-250.B-016	215A Janitor's Closet
L.2-RR	L.2-RR-290.A-017	
L.2-RR	L.2-RR-260.A-018	

Location	Sign ID	Message
L.2-RR	L.2-RR-260.A-029	
L.2-RR	L.2-RR-260.A-030	
L.2-RR	L.2-RR-260.B-031	
L.2-RR	L.2-RR-260.B-032	
L.2-RR	L.2-RR-260.B-033	

Location	Sign ID	Message
L.2-RR	L.2-RR-290.A-019	
L.2-RR	L.2-RR-290.A-020	
L.2-RR	L.2-RR-280-021	 
L.2-RR	L.2-RR-280-022	 
L.2-RR	L.2-RR-280-023	 

Location	Sign ID	Message
L.1 RR - Restroom Update - Level 1		
L.1 RR	L.1 RR-290.A-002	
L.1 RR	L.1 RR-290.A-003	
L.1 RR	L.1 RR-280-004	 
L.1 RR	L.1 RR-280-005	 
L.1 RR	L.1 RR-260.A-006	

Location	Sign ID	Message
L.2-RR	L.2-RR-280-024	 
L.2-RR	L.2-RR-280-025	 
L.2-RR	L.2-RR-280-026	 
L.2-RR	L.2-RR-280-027	 
L.2-RR	L.2-RR-280-028	 

Location	Sign ID	Message
L.1 RR	L.1 RR-260.B-007	
L.1 RR	L.1 RR-290.C-008	 Family Restroom Located on 2nd Floor
L.1 RR	L.1 RR-290.C-009	 Family Restroom Located on 2nd Floor
L.1.1	L.1.1-250.A-013	E106B Airline Ticket Office
L.1.1	L.1.1-250.B-014	E105C Corridor
L.1.1	L.1.1-250.A-015	E104 Airline Ticket Office Baggage Make-up to Room E104

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg025.rvt

Location	Sign ID	Message
L1.1	L1.1-250.A-016	105A Corridor
L1.1	L1.1-250.A-017	108 Airline Ticket Office
L1.1	L1.1-250.A-018	109C Airline Ticket Office
L1.1	L1.1-250.D-019	105B Personnel Name Transportation Security Admin
L1.1	L1.1-250.D-020	110A Personnel Name Personnel Title

Location	Sign ID	Message
L1.1	L1.1-250.D-031	E104D Personnel Name Personnel Title
L1.1	L1.1-250.D-032	E104E Personnel Name Personnel Title
L1.1	L1.1-250.D-033	E104F Personnel Name Personnel Title
L1.1	L1.1-250.D-034	105C Personnel Name Personnel Title
L1.1	L1.1-250.B-035	106B Airline Ticket Office

Location	Sign ID	Message
L1.1	L1.1-250.D-021	109B Personnel Name Personnel Title
L1.1	L1.1-250.A-022	110B Airline Ticket Office
L1.1	L1.1-250.B-023	E106A Baggage Makeup
L1.1	L1.1-250.B-024	E105A Baggage Makeup
L1.1	L1.1-250.B-025	E104A Baggage Makeup

Location	Sign ID	Message
L1.1	L1.1-250.D-036	106D Personnel Name Personnel Title
L1.1	L1.1-250.A-037	107A Airline Ticket Office
L1.1	L1.1-250.B-038	106E Baggage Makeup
L1.1	L1.1-250.B-039	107E Baggage Makeup
L1.1	L1.1-250.B-040	108E Baggage Makeup

Location	Sign ID	Message
L1.1	L1.1-250.B-026	105E Baggage Makeup
L1.1	L1.1-250.D-027	105D Personnel Name Personnel Title
L1.1	L1.1-250.D-028	E105D Personnel Name Personnel Title
L1.1	L1.1-250.D-029	E105E Personnel Name Personnel Title
L1.1	L1.1-250.D-030	E105F Personnel Name Personnel Title

Location	Sign ID	Message
L1.1	L1.1-250.D-041	108C Personnel Name Personnel Title
L1.1	L1.1-250.B-042	109F Baggage Makeup
L1.1	L1.1-250.D-043	109D Personnel Name Personnel Title
L1.1	L1.1-250.D-044	109A Personnel Name Personnel Title
L1.1	L1.1-250.B-045	109F Baggage Makeup



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

MESSAGE
SCHEDULE

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS
SHEET NO.:

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicasa\U25.rvt

Location	Sign ID	Message
L1.1	L1.1-250.D-046	110C Personnel Name Personnel Title
L1.1	L1.1-250.D-047	110E Personnel Name Personnel Title
L1.1	L1.1-250.D-048	110D Personnel Name Personnel Title
L1.1	L1.1-250.B-049	110F Baggage Makeup
L1.1	L1.1-250.A-050	110B Airline Ticket Office

Location	Sign ID	Message
L1.1	L1.1-250.A-053	106A Airline Ticket Office
L1.1	L1.1-250.D-054	107C Personnel Name Personnel Title
L1.1	L1.1-250.D-055	107D Personnel Name Personnel Title
L1.1	L1.1-250.A-068	117A Airport Police Department
L1.1	L1.1-250.D-069	118A Lisa Benjamin Manager Security Ops & Emergency

Location	Sign ID	Message
L1.1	L1.1-250.B-070	123A Women's Locker Room
L1.1	L1.1-250.A-071	122 Corridor
L1.1	L1.1-250.B-072	123B Men's Locker Room
L1.1	L1.1-250.B-073	121B PA Room
L1.1	L1.1-250.B-074	129 Janitor Office

Location	Sign ID	Message
L1.1	L1.1-250.B-075	130 Monitor Room
L1.1	L1.1-250.D-076	130A Personnel Name Personnel Title
L1.1	L1.1-250.B-077	123B Men's Locker Room
L1.1	L1.1-250.B-078	117B Report Writing
L1.1	L1.1-250.B-079	117C Lockup / File Room

Location	Sign ID	Message
L1.1	L1.1-250.B-082	135 Fire Protection Riser Room
L1.1	L1.1-250.B-083	135A Electrical Room
L1.1	L1.1-250.B-084	135B Boiler Room
L1.1	L1.1-250.B-085	135C Electrical Room
L1.1	L1.1-250.B-086	B113A Communications Room

Location	Sign ID	Message
L1.1	L1.1-250.B-087	B111 Generator Room
L1.1	L1.1-250.B-088	B113B Electrical Room
L1.1	L1.1-250.A-090	B103B Dollar
L1.1	L1.1-250.B-091	B111A Chilled Water Storage
L1.1	L1.1-250.B-092	133 Elevator Room



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

MESSAGE
SCHEDULE

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS
SHEET NO.:

3/12/2025 3:59:30 PM C:\Revit Local\32483.01-A-R24_sign.mcd\casg025.rvt

Location	Sign ID	Message
L1.1	L1.1-250.B-093	122 Corridor
L1.1	L1.1-250.B-094	131 Ramp, Door to Outside Not to an Office
L1.1	L1.1-250.B-095	123B Men's Locker Room
L1.1	L1.1-250.B-115	118B Badging Office
L1.1	L1.1-250.B-116	117B Report Writing

L1.1	L1.1-250.D-128	B104A Personnel Name Personnel Title
L1.1	L1.1-250.D-129	B103A Personnel Name Personnel Title
L1.1	L1.1-410-130	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-131	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-132	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.

L1.1	L1.1-250.A-117	121A Elevator Room
L1.1	L1.1-250.A-119	B109B Enterprise
L1.1	L1.1-250.A-120	B107B National
L1.1	L1.1-250.A-121	B106B Avis
L1.1	L1.1-250.D-122	B106A Personnel Name Personnel Title

L1.1	L1.1-410-133	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-134	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-135	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-136	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-137	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.

L1.1	L1.1-250.D-123	B107A Personnel Name Personnel Title
L1.1	L1.1-250.D-124	B106A Personnel Name Personnel Title
L1.1	L1.1-250.D-125	B105A Personnel Name Personnel Title
L1.1	L1.1-250.A-126	B105B Budget
L1.1	L1.1-250.A-127	B104B Hertz

L1.1	L1.1-410-138	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-139	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-140	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-141	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-142	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees PIGGYBACKING PROHIBITED.

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg025.rvt

Location	Sign ID	Message
L1.1	L1.1-410-143	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-144	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-145	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.1	L1.1-410-146	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.1	L1.1-420-147	RESTRICTED AREA Authorized Badged Personnel ONLY

L1.1	L1.1-420-159	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-160	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-161	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-162	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-163	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-164	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-165	RESTRICTED AREA Authorized Badged Personnel ONLY

L1.1	L1.1-420-148	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-149	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-150	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-151	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-152	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-153	RESTRICTED AREA Authorized Badged Personnel ONLY

L1.1	L1.1-420-166	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-167	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-168	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-169	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-170	RESTRICTED AREA Authorized Badged Personnel ONLY

L1.1	L1.1-420-154	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-155	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-156	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-157	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-158	RESTRICTED AREA Authorized Badged Personnel ONLY

L1.1	L1.1-420-171	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-172	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-173	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-174	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-175	RESTRICTED AREA Authorized Badged Personnel ONLY



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

MESSAGE SCHEDULE

MBH NO.: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LB/NG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS
SHEET NO.:

3/12/2025 3:59:30 PM C:\Revit\Local\32483.01-A-R24_gens.mcd\csg0125.rvt

Location	Sign ID	Message
L1.1	L1.1-420-176	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-177	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-178	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-179	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-180	RESTRICTED AREA Authorized Badged Personnel ONLY

Location	Sign ID	Message
L1.1	L1.1-420-181	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-182	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-183	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-184	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-420-185	RESTRICTED AREA Authorized Badged Personnel ONLY

Location	Sign ID	Message
L1.1	L1.1-430-186	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L1.1	L1.1-440.B-187	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-188	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-189	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-190	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable

Location	Sign ID	Message
L1.1	L1.1-440.B-191	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-192	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-420-193	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.1	L1.1-440.B-194	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-195	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable

Location	Sign ID	Message
L1.1	L1.1-440.B-196	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-197	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-198	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-199	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-200	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable

Location	Sign ID	Message
L1.1	L1.1-440.B-201	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-202	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-203	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-440.B-204	By order of the Department of Homeland Security Transportation Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable
L1.1	L1.1-250.D-205	E104C Personnel Name Personnel Title

Mead
& Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, disclosed, or used in any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

MESSAGE
SCHEDULE

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:

G-138

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicasa\U25.rvt

Location	Sign ID	Message
L1.1	L1.1-250.D-206	118C Personnel Name Public Safety Sergeant
L1.1	L1.1-250.D-207	118C Personnel Name Public Safety Sergeant
L1.1	L1.1-250.A-208	117B Airport Police Department
L1.1	L1.1-250.B-209	E105B Airline Break Room
L1.1	L1.1-250.B-210	E106A Baggage Makeup

Location	Sign ID	Message
L1.1	L1.1-250.B-222	B108A Airline Ticket Office
L1.1	L1.1-250.B-223	108A Airline Ticket Office
L1.1	L1.1-250.B-224	109E Airline Ticket Office
L1.1	L1.1-250.B-225	109E Airline Ticket Office
L1.1	L1.1-250.B-226	110B Airline Ticket Office

Location	Sign ID	Message
L1.1	L1.1-250.B-211	E105A Baggage Makeup
L1.1	L1.1-250.B-212	E104A Baggage Makeup
L1.1	L1.1-250.B-213	105E Baggage Makeup
L1.1	L1.1-250.B-214	106E Baggage Makeup
L1.1	L1.1-250.B-215	107E Baggage Makeup

Location	Sign ID	Message
L1.1	L1.1-250.A-227	123A Airport Police Department
L1.1	L1.1-250.A-228	134 Inbound Baggage / Tug Drive
L1.1	L1.1-250.B-229	125 Communications Room
L1.1	L1.1-250.B-230	126 Electrical Room
L1.1	L1.1-250.B-231	129 Janitor Office

Location	Sign ID	Message
L1.1	L1.1-250.B-216	108E Baggage Makeup
L1.1	L1.1-250.B-217	109F Baggage Makeup
L1.1	L1.1-250.B-218	110F Baggage Makeup
L1.1	L1.1-250.B-220	105A Corridor
L1.1	L1.1-250.B-221	106C Airline Ticket Office

Location	Sign ID	Message
L1.1	L1.1-250.B-232	136C Electrical Room
L1.1	L1.1-250.B-233	B111 Generator Room
L1.1	L1.1-250.A-234	B110 Inbound Baggage / Tug Drive
L1.1	L1.1-250.A-235	B110 Inbound Baggage / Tug Drive
L1.1	L1.1-250.A-236	B109 Rental Car Lobby



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\cas9\Z5.rvt

Location	Sign ID	Message
L1.1	L1.1-250.B-237	B111B Maintenance Cage
L1.1	L1.1-250.B-238	B111C Public Safety Cage
L1.1	L1.1-250.B-239	134 Inbound Baggage / Tug Drive
L1.1	L1.1-250.B-240	118B Badging Office
L1.1	L1.1-250.B-241	118B Badging Office

Location	Sign ID	Message
L1.3	L1.3-250.B-008	139 Vestibule
L1.3	L1.3-250.B-010	139C Storage
L1.3	L1.3-250.A-011	139B Elevator Room
L1.3	L1.3-250.A-012	148 Vestibule
L1.3	L1.3-250.A-013	148 Vestibule

Location	Sign ID	Message
L1.1	L1.1-250.B-242	E104 Airline Ticket Office
L1.1	L1.1-250.B-243	E105C Corridor
L1.1	L1.1-250.A-244	E106B Airline Ticket Office
L1.1	L1.1-250.B-245	123D Evidence Room
L1.1	L1.1-250.B-246	123C Armory

Location	Sign ID	Message
L1.3	L1.3-250.A-016	139A Janitor's Closet
L1.3	L1.3-290.A-017	 SARA
L1.3	L1.3-250.A-020	157 Storage/ Corridor
L1.3	L1.3-250.B-021	161 Electrical Room
L1.3	L1.3-250.B-022	162 Communication Room

Location	Sign ID	Message
L1.1	L1.1-250.A-247	124 Corridor
L1.2 - Level 1 - Sector 2		
L1.2	L1.2-250.B-001	136A Electrical Room
L1.2	L1.2-250.B-002	136B Mechanical Room
L1.3	L1.3-250.A-001	139 Vestibule
L1.3	L1.3-290.A-002	 FAMILY

Location	Sign ID	Message
L1.3	L1.3-250.B-023	157 Storage / Corridor
L1.3	L1.3-290.A-024	 NURSING ROOM
L1.3	L1.3-250.B-025	157 Storage / Corridor
L1.3	L1.3-250.B-026	149 Storage
L1.3	L1.3-250.A-027	154 Corridor



3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.molicasa\U25.rvt

Location	Sign ID	Message
L1.3	L1.3-250.B-028	166 Mechanical Room
L1.3	L1.3-250.B-031	168 Communications Room
L1.3	L1.3-250.B-032	173C Corridor
L1.3	L1.3-250.B-044	154 Corridor
L1.3	L1.3-250.B-046	166 Mechanical Room

Location	Sign ID	Message
L1.3	L1.3-250.B-047	172 Paint Storage
L1.3	L1.3-250.B-048	168 Communications Room
L1.3	L1.3-250.B-049	177 Storage
L1.3	L1.3-250.B-052	143 / 143A Mechanical Room
L1.3	L1.3-250.B-053	173A Corridor

Location	Sign ID	Message
L1.3	L1.3-250.B-054	174 Storage
L1.3	L1.3-250.B-055	151 TSA Offices
L1.3	L1.3-250.B-056	174 Storage
L1.3	L1.3-290.A-057	 MEN
L1.3	L1.3-290.A-058	 WOMEN

Location	Sign ID	Message
L1.3	L1.3-250.B-059	177 Storage
L1.3	L1.3-250.B-060	143A Mechanical Room
L1.3	L1.3-250.B-061	151 TSA Offices
L1.3	L1.3-250.B-062	175A Airline Operations
L1.3	L1.3-250.B-063	165 Storage

Location	Sign ID	Message
L1.3	L1.3-250.B-064	173 Corridor
L1.3	L1.3-250.B-065	165 Storage
L1.3	L1.3-250.B-066	154 Corridor
L1.3	L1.3-250.B-067	156 Airline Operations
L1.3	L1.3-250.B-068	155 TSA Offices

Location	Sign ID	Message
L1.3	L1.3-250.B-069	153 TSA Break Room
L1.3	L1.3-250.D-070	152B Personnel Name <i>Personnel Title</i>
L1.3	L1.3-250.B-071	152C Airline Operations
L1.3	L1.3-250.D-072	152A Personnel Name <i>Personnel Title</i>
L1.3	L1.3-250.D-073	175C Personnel Name <i>Personnel Title</i>



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_sign.mcd\casg025.rvt

Location	Sign ID	Message
L1.3	L1.3-250.B-074	159 Storage
L1.3	L1.3-250.B-075	159A Storage
L1.3	L1.3-250.B-077	175A Airline Operations
L1.3	L1.3-250.B-078	164 Airline Operations
L1.3	L1.3-250.B-079	163 Storage

Location	Sign ID	Message
L1.3	L1.3-250.D-083	156A Personnel Name Personnel Title
L1.3	L1.3-250.D-084	175E Personnel Name Personnel Title
L1.3	L1.3-250.D-085	175D Personnel Name Personnel Title
L1.3	L1.3-250.A-086	164 Airline Operations
L1.3	L1.3-250.B-087	155 TSA Offices

Location	Sign ID	Message
L1.3	L1.3-250.D-088	152 Personnel Name Personnel Title
L1.3	L1.3-250.B-089	173A Corridor
L1.3	L1.3-250.B-090	163 Storage
L1.3	L1.3-250.A-091	156 Airline Operations
L1.3	L1.3-250.B-092	153 TSA Break Room

Location	Sign ID	Message
L1.3	L1.3-250.B-093	152D Airline Operations
L1.3	L1.3-410-094	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-095	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-096	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-097	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.

Location	Sign ID	Message
L1.3	L1.3-410-098	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-099	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-100	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-101	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-issued identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-420-102	RESTRICTED AREA Authorized Badged Personnel ONLY

Location	Sign ID	Message
L1.3	L1.3-420-103	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-104	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-105	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-106	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-107	RESTRICTED AREA Authorized Badged Personnel ONLY



3/12/2025 3:59:30 PM C:\Revit Local\32483.01-A-R24_Signs\mcsig0125.rvt

Location	Sign ID	Message
L1.3	L1.3-420-108	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-109	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-110	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-111	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-112	RESTRICTED AREA Authorized Badged Personnel ONLY

Location	Sign ID	Message
L1.3	L1.3-420-113	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-114	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-115	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-420-116	RESTRICTED AREA Authorized Badged Personnel ONLY
L1.3	L1.3-410-117	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.

Location	Sign ID	Message
L1.3	L1.3-410-118	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-119	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-410-120	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L1.3	L1.3-430-121	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L1.3	L1.3-430-122	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.

Location	Sign ID	Message
L1.3	L1.3-430-123	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L1.3	L1.3-430-124	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L1.3	L1.3-440.A-125	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-126	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-127	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.

Location	Sign ID	Message
L1.3	L1.3-440.A-128	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-129	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-130	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-131	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-132	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.

Location	Sign ID	Message
L1.3	L1.3-440.A-133	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-134	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-135	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-440.A-136	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint.
L1.3	L1.3-250.B-137	157 Storage / Corridor

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used in any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

MESSAGE
SCHEDULE

MBH NO: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS & ELEVATIONS

SHEET NO.:

G-143

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg\U25.rvt

Location	Sign ID	Message
L1.3	L1.3-250.B-138	160 Fire Protection Riser Room
L1.3	L1.3-290.A-139	 Restroom
L2.1	L2.1-250.B-001	E202 Storage
L2.1	L2.1-250.D-002	202 Kasey Posa Director of Marketing & PR
L2.1	L2.1-250.A-003	203 Training Room

Location	Sign ID	Message
L2.1	L2.1-250.B-004	201/E201 Storage
L2.1	L2.1-250.D-005	206 Personnel Name Personnel Title
L2.1	L2.1-250.D-006	204 Rochelle Burns Finance Manager
L2.1	L2.1-250.B-009	E203 Electrical Room
L2.1	L2.1-250.D-011	260 Michael Noonan Director of Facilities & Operations

Location	Sign ID	Message
L2.1	L2.1-250.A-012	257 Airport Administration Offices
L2.1	L2.1-250.A-015	207 Airport Administration Offices
L2.1	L2.1-250.A-016	210 Pelavin Conference Room
L2.1	L2.1-250.A-020	210 Pelavin Conference Room
L2.1	L2.1-250.D-021	209 Christopher Yeates Chief Operating Officer

Location	Sign ID	Message
L2.1	L2.1-250.D-022	205 Nino Sapone Chief Executive Officer
L2.1	L2.1-250.D-023	205A Dionne Griffin Chief Financial Officer
L2.1	L2.1-250.A-025	212 Kitchen Break Room
L2.1	L2.1-250.A-026	213 Kitchen / Break Room
L2.1	L2.1-250.B-028	211 File / Copy Room

Location	Sign ID	Message
L2.1	L2.1-250.D-031	209A Louis Tyson Director of Public Safety
L2.1	L2.1-250.B-034	E204 Communications Room
L2.1	L2.1-250.B-039	261 Storage
L2.1	L2.1-250.B-040	247 Storage
L2.1	L2.1-250.D-045	260 Michael Noonan Director of Facilities & Operations

Location	Sign ID	Message
L2.1	L2.1-250.B-050	264 Storage
L2.1	L2.1-250.D-051	262 Derrick Myles Operations Supervisor
L2.1	L2.1-250.D-054	263 Matthew Lawrence Director of IT
L2.1	L2.1-250.B-056	256A Storage
L2.1	L2.1-250.A-057	219 Kitchen



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, disclosed, or used in any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.

MESSAGE
SCHEDULE

MBH NO.: 2715800-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS
SHEET NO.:

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\cas9\Z5.rvt

Location	Sign ID	Message
L2.1	L2.1-250.B-063	ROOM # Janitor's Closet
L2.1	L2.1-250.B-064	222 Electrical Room
L2.1	L2.1-250.D-068	221 ROOM NAME TBD
L2.1	L2.1-250.B-069	224 Food Storage
L2.1	L2.1-250.A-070	219 Kitchen

L2.1	L2.1-420-088	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.1	L2.1-430-089	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L2.1	L2.1-430-090	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L2.1	L2.1-440.B-091	By Order of the Department of Homeland Security Department Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited. Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable.
L2.1	L2.1-440.B-092	By Order of the Department of Homeland Security Department Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited. Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable.

L2.1	L2.1-250.A-071	223 Mechanical Room
L2.1	L2.1-250.A-077	B204 Mechanical Room
L2.1	L2.1-250.A-079	B200 Sharp Conference Room
L2.1	L2.1-250.A-081	B200 Sharp Conference Room
L2.1	L2.1-410-082	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.

L2.1	L2.1-430-093	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L2.1	L2.1-440.B-094	By Order of the Department of Homeland Security Department Security Administration INDIVIDUALS ENTERING THE SECURED OR STERILE AREAS ARE SUBJECT TO SCREENING Unauthorized weapons, explosives, and incendiaries are prohibited. Refusal to undergo screening may result in the temporary or permanent revocation of unescorted access authority as well as a penalty prescribed by local, state, or federal law, as applicable.
L2.1	L2.1-250.B-095	201/E201 Mechanical Room
L2.1	L2.1-250.B-096	204A Storage
L2.1	L2.1-290.A-098	MEN

L2.1	L2.1-410-083	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.1	L2.1-410-084	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.1	L2.1-410-085	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-based identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.1	L2.1-420-086	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.1	L2.1-420-087	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.1	L2.1-290.A-099	WOMEN
L2.1	L2.1-420-100	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.2	L2.2-250.A-066	239D Private Screening
L2.2	L2.2-250.A-067	239A Corridor
L2.2	L2.2-250.D-068	239C Personnel Name Personnel Title

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be replicated, disclosed, or used on any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.

BISHOP INTERNATIONAL AIRPORT

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

MESSAGE
SCHEDULE

MBH NO.: 2715890-232483.01
DATE: November 20, 2025
DESIGNED BY: LBNG
DRAWN BY: NG/RL
CHECKED BY: RL
DO NOT SCALE DRAWINGS

ENLARGED PLANS &
ELEVATIONS

SHEET NO.:

G-145

3/12/2025 3:59:30 PM C:\Revit\Local\32483.01-A-R24_sign.mcd\casg025.rvt

Location	Sign ID	Message
L2.2	L2.2-250.A-069	239G Checkpoint Operations 2
L2.2	L2.2-250.A-070	239F Checkpoint Ops 1
L2.2	L2.2-250.A-074	239H TSA Communications
L2.2	L2.2-250.A-075	302 Mechanical Room
L2.2	L2.2-250.A-076	238 Airside Kitchen

Location	Sign ID	Message
L2.2	L2.2-420-079	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.2	L2.2-420-080	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.2	L2.2-250.A-081	239E TSA Offices
L2.2	L2.2-250.A-082	239B Bullpen
L2.2	L2.2-250.A-083	301 Mechanical Room

Location	Sign ID	Message
L2.3	L2.3-250.B-010	248 Electrical Room
L2.3	L2.3-250.A-011	247 Storage
L2.3	L2.3-250.B-019	234 Storage
L2.3	L2.3-250.B-020	253 Retail Outlet
L2.3	L2.3-250.A-051	243 Mechanical Room

Location	Sign ID	Message
L2.3	L2.3-410-052	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-053	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-054	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-055	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-056	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.

Location	Sign ID	Message
L2.3	L2.3-410-057	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-058	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-059	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-060	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-061	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.

Location	Sign ID	Message
L2.3	L2.3-410-062	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-063	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-410-064	SECURE IDENTIFICATION DISPLAY AREA (SIDA) All persons must display Airport-Issued Identification at all times beyond this point. Badge validation required to gain access for all employees. PIGGYBACKING PROHIBITED.
L2.3	L2.3-420-065	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-066	RESTRICTED AREA Authorized Badged Personnel ONLY



© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, disclosed, or used in any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents.

3/12/2025 3:59:30 PM C:\revit\Local\32483.01-A-R24_gens.mcd\casg\Z5.rvt

Location	Sign ID	Message
L2.3	L2.3-420-067	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-068	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-069	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-070	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-071	RESTRICTED AREA Authorized Badged Personnel ONLY

Location	Sign ID	Message
L2.3	L2.3-420-072	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-073	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-074	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-075	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-420-076	RESTRICTED AREA Authorized Badged Personnel ONLY

Location	Sign ID	Message
L2.3	L2.3-430-077	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L2.3	L2.3-430-078	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L2.3	L2.3-420-079	RESTRICTED AREA Authorized Badged Personnel ONLY
L2.3	L2.3-430-080	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.
L2.3	L2.3-440.A-081	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint

Location	Sign ID	Message
L2.3	L2.3-440.A-082	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint
L2.3	L2.3-440.A-083	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint
L2.3	L2.3-250.B-084	254 Airside Grill
L2.3	L2.3-250.A-085	256 Airside Grill
L2.3	L2.3-250.B-086	235 Storage

Location	Sign ID	Message
L2.3	L2.3-250.A-087	245 Storage
L2.3	L2.3-250.B-089	235 Airside Grill Office
L2.3	L2.3-250.B-090	303 Mechanical Room
L2.3	L2.3-250.B-091	304 Electrical Room
L2.3	L2.3-250.B-092	306 Mechanical Room

Location	Sign ID	Message
L2.3	L2.3-250.B-093	307 Mechanical Room
L2.3	L2.3-250.B-094	308 Mechanical Room
L2.3	L2.3-440.A-095	EFFECTIVE IMMEDIATELY By order of the Department of Homeland Security Transportation Security Administration Employees Entering the Sterile Area are Subject to Inspection Employees not traveling on aircraft may bring liquids, gels and/or aerosols through access points other than the passenger screening checkpoint
L2.3	L2.3-430-096	EMERGENCY EXIT ONLY Push until alarm sounds. Door can be opened in 15 seconds.



© Copyright 2020 Mead & Hunt, Inc.
This document, or any portion thereof, shall
not be duplicated, disclosed, or used in any
other project or extension of this project
except by written agreement with Mead &
Hunt, Inc. Mead & Hunt shall not be
responsible for any unauthorized use of, or
alteration to these documents

3/12/2025 3:59:30 PM C:\revit\Local\232483.01-A-R24_gens.mcd\casagLU25.rvt


Location	Sign ID	Message
L1.1 - Level 1 - Sector 1		
L1.1	L1.1-400.A-001	
L1.1	L1.1-400.B-002	DOOR 1
L1.1	L1.1-400.C-003	 Side A and B Same
L1.1	L1.1-330-004	 SIDE A SIDE B
L1.1	L1.1-100.B.1-005	



11/21/2025, 3:49:47 PM C:\Revit Local\230638.01-E-R24_jeanne.hazeltine.rvt

ELECTRICAL EQUIPMENT WIRING SCHEDULE - GENERAL																							
EQUIPMENT	EQUIPMENT DESCRIPTION	LOCATION	LOAD							BRANCH WIRING				STARTER					DISCONNECT TYPE AND RATING			NEMA ENCLOSUR E	KEYED NOTE(S)
			KW	HP	FLA (AMPS)	MCA (AMPS)	MOCF (AMPS)	VOLTS	PHASE	NO.	SIZE	GND.	C	TYPE	NEMA SIZE	FURNISHED/ INSTALLED BY	NEMA ENCLOSURE	ACC.	TYPE	RATING/ FUSE	FURNISHED/ INSTALLED BY		
IPM	INTERIOR PYLON WITH MONITOR DISPLAYS	VARIES	--	--	5	--	--	120	1	2	12	12	1/2"	--	--	--	--	--	--	--	--	1	
EQUIPMENT SCHEDULE GENERAL NOTES:																							
1. ALL WORK BY THIS CONTRACTOR TO COMPLY WITH ALL LOCAL, STATE AND NATIONAL ELECTRICAL CODES. 2. THIS CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION WITH OTHER TRADES TO AVOID CONFLICTS AND TO VERIFY ALL EQUIPMENT CONNECTIONS FOR COMPLETE INSTALLATION. 3. THIS CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING A COMPLETE ELECTRICAL SYSTEM PER CONTRACT DRAWINGS AND ENSURING THAT THE SYSTEM IS OPERATIONAL UPON JOB COMPLETION. 4. THIS CONTRACTOR SHALL VERIFY WITH GENERAL CONTRACTOR, ELECTRICAL REQUIREMENTS INCLUDING VOLTAGES, DISCONNECTING MEANS AND EQUIPMENT PRIOR TO ORDERING CIRCUIT BREAKERS.																							
EQUIPMENT SCHEDULE KEYED NOTES:																							
1. PROVIDE ARLINGTON TVB5613 MULTI-SERVICE BACKBOX OR APPROVED EQUAL. PROVIDE ONE (1) DUPLEX RECEPTACLE IN BOX. COORDINATE WITH TECHNOLOGY CONTRACTOR FOR DATA DEVICE AND WIRE. PROVIDE ONE (1) DEDICATED 120V CIRCUIT TO EACH FLIGHT INFORMATION DISPLAY. COORDINATE FINAL MOUNTING HEIGHT WITH OWNER AND SIGNAGE CONTRACTOR.																							

COMMUNICATIONS OUTLET SCHEDULE			
SYMBOL	DESCRIPTION	MOUNTING	COMMENTS
FI ▼	FLIGHT INFORMATION DISPLAY SYSTEMS (FIDS) TECHNOLOGY OUTLET: - (1) 1" CONDUIT STUB - (1) 4-11/16" SQUARE x 2-5/8" DEEP BACKBOX WITH SINGLE GANG TRIM RING - (1) SINGLE-GANG, TWO-PORT FACEPLATE WITH SIGNAGE - (2) CATEGORY 6 CABLES	COORDINATE MOUNTING INSIDE INTERIOR PYLON DISPLAY CABINET WITH SIGNAGE CONTRACTOR	



2 SECOND FLOOR POWER & SYSTEMS PLAN
1/8" = 1'-0"

SERVICE & DISTRIBUTION SYMBOLS

- PANELBOARD
- PANELBOARD SHADING MODIFIER

GENERAL SYMBOLS

- DETAIL NUMBER / SHEET NUMBER

- KEYED NOTE:
USED TO DESCRIBE ADDITIONAL INFORMATION OF WORK REQUIRED, SPECIFIC TO THE SHEET AND/OR DETAIL. IT IS SHOWN WITH

MOTOR CONTROL & PROTECTIVE DEVICE SYMBOLS

- ELECTRICAL CONNECTION TO EQUIPMENT, SIZED PER NEC. COORDINATE REQUIREMENTS WITH CONTRACTOR FURNISHING MOTOR OR EQUIPMENT. REFER TO EQUIPMENT WIRING SCHEDULE FOR ADDITIONAL WORK ASSOCIATED WITH EQUIPMENT.

GENERAL NOTES:

- COORDINATE ALL WIRING/ INSTALLATION REQUIREMENTS WITH WAYFINDING/ SIGNAGE CONTRACTOR PRIOR TO ROUGH-IN.
- MAINTAIN COMMUNICATIONS AND CIRCUIT CONTINUITY OF DEVICES LOCATED OUTSIDE OF CONSTRUCTION AREA. COORDINATE ANY INTERRUPTIONS WITH OWNER PRIOR TO WORK.
- REMOVE AND REINSTALL ALL CEILING TILES AS REQUIRED FOR THE EXECUTION OF ELECTRICAL WORK THAT IS OUTSIDE THE CONTRACT LIMITS OF CONSTRUCTION. REPLACE CEILING TILES WITH IDENTICAL MATERIAL WHERE DAMAGED BY THIS CONTRACTOR.
- PROVIDE REVISED, TYPED CIRCUIT DIRECTORY IN PANELBOARDS THAT HAVE CIRCUITS REMOVED OR ADDED CIRCUITS.
- CONCEAL ALL CONDUIT IN WALLS, PARTITIONS, ABOVE CEILING, ETC. CONDUIT IN MECHANICAL ROOMS, AND STORAGE ROOMS WITHOUT CEILING MAY BE EXPOSED ON BUILDING STRUCTURE. WHERE RACEWAY IS REQUIRED ON EXISTING CONCRETE AND MASONRY WALLS, SURFACE RACEWAY MAY BE USED IN LIEU OF CHANNELING WALLS TO ALLOW CONCEALED ROUTING. THE RACEWAY SHALL BE SINGLE CHANNEL STYLE TYPE WITH IVORY FINISH. THIS APPLIES FOR BRANCH CIRCUIT CONDUITS UP TO 3/4" SIZE. CONDUITS LARGER THAN 3/4" MAY BE ROUTED EXPOSED, BUT INSTALLED PARALLEL AND/OR PERPENDICULAR TO BUILDING LINES AND RUN AS UNOBTUSIVELY AS POSSIBLE.
- PROVIDE SUITABLE MECHANICAL PROTECTION AROUND ALL CONDUITS STUBBED OUT FROM FLOORS, WALLS, OR CEILINGS DURING CONSTRUCTION TO PREVENT BENDING OR DAMAGING OF STUB OUTS DUE TO CARELESSNESS WITH CONSTRUCTION EQUIPMENT.
- ALL OPENINGS IN WALLS SHALL BE REPAIRED TO MATCH EXISTING BY A QUALIFIED CONTRACTOR AT THE EXPENSE OF THIS CONTRACTOR. ALL CONDUITS THROUGH WALLS SHALL BE GROUTED OR SEALED INTO OPENINGS.
- COMPONENTS AND ASSEMBLIES SHALL BE UL LISTED OR FM APPROVED FOR THEIR INTENDED APPLICATION.
- ADDITIONAL DEVICES AND PARTS BEYOND WHAT IS SHOWN ON THESE PLANS MAY BE REQUIRED. CONTRACTOR SHALL NOT USE THESE PLANS FOR DEVICE COUNTS.
- PROVIDE ALL LABOR, MATERIAL AND EQUIPMENT REQUIRED TO INSTALL COMPLETE TECHNOLOGY SYSTEMS AS INDICATED ON THESE DRAWINGS.
- TECHNOLOGY RACEWAY (CONDUIT, BACKBOX, SUPPORTS) REQUIREMENTS INCLUDE:
 - PROVIDE A BEND RADIUS OF TEN TIMES THE OUTSIDE DIAMETER OR GREATER FOR ALL TECHNOLOGY RACEWAY.
 - PROVIDE A MINIMUM CONDUIT SIZE OF 1" UNLESS NOTED OTHERWISE.
 - PROVIDE PLASTIC OR NYLON BUSHINGS ON ALL CONDUIT STUBS PRIOR TO THE INSTALLATION OF CABLES.

KEYED NOTES

- 9.301 REMOVE TWO EXISTING 20A, 2-POLE SPARE BREAKERS IN EXISTING SQUARE D WOOD PANEL 2LG AND PROVIDE FOUR NEW 20A, 1-POLE BREAKERS TO SERVE NEW SIGNAGE MONITORS. COORDINATE FINAL POWER REQUIREMENTS WITH OWNER AND SIGNAGE CONTRACTOR PRIOR TO WORK.
- 9.302 STUB UP (1) 1" EMT CONDUIT AT INTERIOR PYLON MONITOR DISPLAY FOR POWER CIRCUITS. COORDINATE FINAL LOCATION OF EQUIPMENT WITH OWNER AND SIGNAGE CONTRACTOR PRIOR TO WORK.
- 9.303 CORE DRILL FLOOR AND ROUTE (1) 1" CONDUIT IN PLENUM SPACE ABOVE ACT CEILING AT FIRST FLOOR HOLDROOM BELOW AND CORE DRILL FLOOR ABOVE AT NEW INTERIOR PYLON SIGNAGE LOCATION. COORDINATE EXACT LOCATION OF INTERIOR PYLON SIGNAGE WITH OWNER AND SIGNAGE CONTRACTOR PRIOR TO WORK.
- 9.304 PROVIDE (1) 1" EMT CONDUIT FROM NEAREST EXISTING IDF (ROOM 168, 'AREA E') ON FIRST FLOOR AND STUB UP TO INTERIOR PYLON MONITOR DISPLAY. COORDINATE FINAL DATA REQUIREMENTS AND ASSOCIATED TELECOM ROOM LOCATION WITH OWNER AND SIGNAGE CONTRACTOR PRIOR TO WORK.

Mead & Hunt

Mead & Hunt, Inc.
2440 Deming Way
Middleton, WI 53562
phone: 608-273-6380
meadhunt.com

FNT

FLINT BISHOP AIRPORT

© Copyright 2025 Mead & Hunt, Inc.
This document, or any portion thereof, shall not be duplicated, disclosed, or used on any other project or extension of this project except by written agreement with Mead & Hunt, Inc. Mead & Hunt shall not be responsible for any unauthorized use of, or alteration to these documents.

BISHOP INTERNATIONAL AIRPORT
SIGNAGE AND WAYFINDING

3425 BRISTOL ROAD
FLINT, MICHIGAN 48507

ISSUED
11/21/25 ADD XX

MSH NO.: R2715800-230638.01
DATE: 11/21/2025
DESIGNED BY: JPH
DRAWN BY: JPH
CHECKED BY:
DO NOT SCALE DRAWINGS

SHEET CONTENTS
SECOND FLOOR
POWER & SYSTEMS
PLAN

SHEET NO.:



Demolition Plan

Nov. 19, 2025

Mead&Hunt

Jones
Worley


All Demolition needs to be confirm at the site.

RED HIGHLIGHTS AREAS TO BE PAINTED. THIS NEED TO HAPPEND ON ALL AREAS THAT ARE PAINTED GREEN AT THE MOMENT.



Once this package has been handed over, Jones Worley will not be responsible for any misuse or for tasks not completed during demolition or during the painting of signs in repair areas.


RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.



RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.



RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.




RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.




RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.





RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.



RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.




RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.



RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.



RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.



RED HIGHLIGHTS
AREAS TO BE
REMOVED AND
RE-PATCH OR
FIXED.

